# PORTINOX

### THE FASCINATION OF STAINLESS STEEL



To find out more about our wide range of **laboratory and medical equipment** and all the different variations and options we offer, please visit the LAB.TEC section of our website at

**CLEAN.TEC** 

Cleanroom equipment

Product catalogue valid from 04/2020

LAB.TEC

Laboratory and medical equipment

Product catalogue valid from 04/2020















### CONTENTS **CLEAN.TEC**

Worktops	6-7	Transfer hatches	27
Worktops smooth	6	Waste systems	28
Worktops perforated	7	Tracto dystems	
Cleanroom tables	8-9	Mirrors	28
Table frames	10-11	Glove dispensers	29
Tabletop shelves	12	Dispenser boxes 2	9-30
Trolleys	16-17	Sit-over benches 3	1-33
Trolleys with smooth shelves	16	Sit-over benches made of melamine	31
Trolleys with perforated shelves	17	Sit-over benches made of stainless steel	33
Trolley accessories	17	Coat racks	34
Microscope table	19	General information	36
Shelf units	20-24	Care instructions	37
Shelf units with smooth shelves	20-21	Care matructions	37
Shelf units with perforated shelves	22-23		
Additional shelves	24		













# STAINLESS STEEL TROLLEY FOLDING

Are you looking for a space-saving and practical variant of a cleanroom storage trolley? If the answer is 'yes', then our award-winning folding stainless steel trolley is the perfect choice for you.

Dimensions: 800 x 500 x 1,050 mm (L x W x H)

Maximum pack size: 90 x 520 x 1,300 mm (L x W x H) Weight: 16 kg

- Easy to set up and fold away for just one person no tools required
- Durable and long-lasting
- Lightweight
- Easy to transport
- Simple cleaning
- Versatile applications

Order no.: 5965050800 €1,296.00







# **WORKTOPS**

### **Smooth**

#### Model / designation

#### Dimensions / prices


#### AP 150-GL-HIG 5372164500

Tabletop in cleanroom design without perforations made of 1.5 mm thick stainless steel 1.4301, top side with a KEK finish.

Tabletop with 42 mm edging on all sides,
12 mm of which is angled 15° to the inside.

Corners welded and manually polished, threaded bolts on the underside for fastening on a subframe, partially clad with a profile.

Special designs such as inclined surfaces, breakthroughs or different surface finishes available on request.



Width	300	400	500	600	700	800	900
Length							
500	226.00	240.00	250.00	263.00	275.00	290.00	304.00
600	234.00	249.00	263.00	277.00	293.00	308.00	326.00
700	243.00	260.00	275.00	293.00	310.00	326.00	347.00
800	250.00	270.00	290.00	308.00	326.00	346.00	367.00
900	260.00	281.00	302.00	322.00	344.00	365.00	391.00
1,000	267.00	292.00	313.00	338.00	361.00	384.00	410.00
1,100	288.00	312.00	339.00	363.00	389.00	414.00	443.00
1,200	296.00	322.00	350.00	378.00	404.00	431.00	463.00
1,300	304.00	335.00	363.00	393.00	421.00	451.00	487.00
1,400	312.00	344.00	376.00	407.00	440.00	471.00	507.00
1,500	320.00	354.00	389.00	421.00	455.00	489.00	528.00
1,600	328.00	365.00	400.00	436.00	473.00	508.00	549.00
1,700	339.00	376.00	414.00	451.00	489.00	526.00	569.00
1,800	347.00	387.00	426.00	466.00	506.00	547.00	592.00
1,900	354.00	397.00	440.00	480.00	523.00	565.00	613.00
2,000	373.00	418.00	462.00	507.00	551.00	595.00	646.00
2,100	383.00	428.00	475.00	521.00	567.00	613.00	665.00
2,200	392.00	440.00	487.00	536.00	583.00	632.00	687.00
2,300	399.00	449.00	501.00	551.00	602.00	653.00	709.00
2,400	407.00	460.00	512.00	565.00	617.00	670.00	731.00
2,500	416.00	471.00	525.00	580.00	634.00	690.00	751.00
2,600	425.00	480.00	538.00	595.00	653.00	708.00	772.00
2,700	432.00	492.00	551.00	610.00	668.00	726.00	793.00
2,800	442.00	503.00	563.00	624.00	685.00	747.00	817.00
2,900	449.00	512.00	576.00	640.00	702.00	766.00	837.00
3,000	470.00	533.00	600.00	664.00	731.00	795.00	868.00
3,100	477.00	546.00	612.00	679.00	747.00	814.00	889.00
3,200	486.00	555.00	625.00	694.00	764.00	832.00	912.00
3,300	494.00	565.00	638.00	709.00	780.00	853.00	932.00
3,400	503.00	576.00	649.00	723.00	797.00	871.00	954.00
3,500	511.00	585.00	662.00	738.00	814.00	889.00	975.00
3,600	520.00	598.00	675.00	752.00	830.00	908.00	996.00
3,700	527.00	608.00	689.00	768.00	847.00	926.00	1,016.00
3,800	536.00	617.00	700.00	781.00	865.00	948.00	1,039.00













# **WORKTOPS**

### **Perforated**

#### Model / designation

#### Dimensions / prices

#### AP 150-GEL-HIG 5372164600

Tabletop in cleanroom design with perforations, diameter 10 mm, holes in a grid spaced at 15 x 15 mm, made of 1.5 mm thick stainless steel 1.4301, top side with a KEK finish. Tabletop with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside.

Corners welded and manually polished, threaded bolts on the underside for fastening on a subframe, partially clad with a profile.

Perforation on the upper side of the worktop manufactured using a special punching mechanism that leaves the surface completely free of burrs.

The perforation can optionally also be executed in a nest-shaped pattern.

Special designs such as inclined surfaces, breakthroughs or different surface finishes available on request.



	Width	300	400	500	600	700	800	900
	Length							
	500	248.00	260.00	272.00	286.00	299.00	311.00	327.00
	600	260.00	275.00	294.00	308.00	323.00	342.00	360.00
	700	268.00	287.00	304.00	322.00	343.00	359.00	380.00
	800	276.00	298.00	317.00	339.00	357.00	378.00	402.00
	900	286.00	308.00	329.00	352.00	375.00	397.00	423.00
	1,000	298.00	323.00	350.00	376.00	401.00	427.00	458.00
	1,100	317.00	346.00	374.00	401.00	428.00	457.00	489.00
	1,200	324.00	355.00	386.00	416.00	446.00	475.00	509.00
	1,300	335.00	365.00	398.00	430.00	462.00	496.00	532.00
	1,400	347.00	381.00	419.00	453.00	489.00	524.00	564.00
	1,500	354.00	393.00	430.00	469.00	506.00	545.00	585.00
	1,600	362.00	402.00	443.00	481.00	522.00	561.00	608.00
	1,700	373.00	414.00	455.00	498.00	539.00	581.00	629.00
	1,800	384.00	429.00	475.00	520.00	564.00	611.00	663.00
	1,900	393.00	440.00	486.00	534.00	582.00	629.00	683.00
	2,000	401.00	451.00	501.00	551.00	600.00	649.00	705.00
	2,100	425.00	477.00	530.00	582.00	636.00	690.00	750.00
	2,200	432.00	488.00	545.00	599.00	654.00	708.00	771.00
	2,300	441.00	499.00	556.00	613.00	669.00	727.00	792.00
	2,400	450.00	509.00	568.00	627.00	687.00	746.00	813.00
1	2,500	458.00	520.00	580.00	642.00	704.00	766.00	834.00
	2,600	467.00	530.00	593.00	657.00	721.00	784.00	856.00
	2,700	475.00	540.00	607.00	671.00	737.00	803.00	877.00
	2,800	486.00	556.00	625.00	694.00	764.00	831.00	910.00
	2,900	497.00	566.00	638.00	709.00	780.00	853.00	932.00
	3,000	505.00	577.00	652.00	725.00	797.00	870.00	955.00
	3,100	523.00	600.00	674.00	749.00	825.00	901.00	985.00
	3,200	531.00	610.00	687.00	765.00	842.00	919.00	1,006.00
	3,300	540.00	620.00	700.00	779.00	859.00	938.00	1,029.00
	3,400	550.00	631.00	711.00	793.00	875.00	958.00	1,051.00
	3,500	557.00	641.00	725.00	810.00	893.00	976.00	1,071.00
	3,600	564.00	653.00	737.00	823.00	909.00	996.00	1,090.00
	3,700	574.00	662.00	750.00	837.00	926.00	1,013.00	1,113.00
	3,800	582.00	672.00	764.00	854.00	942.00	1,032.00	1,134.00



## **CLEANROOM TABLES**

### Square tube with unperforated worktop

Model / desig	nation	Width		600		700		800
	RATVU-GL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
	Cleanroom table,	500	5372225000	724.00	5372226600	742.00	5372228200	762.00
N.	square tube	600	5372225100	743.00	5372226700	763.00	5372228300	783.00
	(height 900 mm)	700	5372225200	767.00	5372226800	791.00	5372228400	814.00
	Tabletop made of 1.5 mm thick	800	5372225300	786.00	5372226900	812.00	5372228500	836.00
	stainless steel with 42 mm edging on all sides, 12 mm of which is	900	5372225400	806.00	5372227000	832.00	5372228600	860.00
	angled 15° to the inside, smooth surface, stabilised with reinforcement depending on	1,000	5372225500	822.00	5372227100	854.00	5372228700	882.00
		1,100	5372225600	853.00	5372227200	884.00	5372228800	916.00
	design and dimensions, base	1,200	5372225700	872.00	5372227300	905.00	5372228900	938.00
	frame made of square tube, floor	1,300	5372225800	896.00	5372227400	932.00	5372229000	971.00
	level compensation with disc- shaped feet made of CNS	1,400	5372225900	914.00	5372227500	955.00	5372229100	996.00
	(+/- 10 mm)	1,500	5372226000	932.00	5372227600	974.00	5372229200	1,015.00
	Material: stainless steel 1.4301,	1,600	5372226100	953.00	5372227700	998.00	5372229300	1,038.00
	surface with KEK finish	1,700	5372226200	971.00	5372227800	1,015.00	5372229400	1,061.00
		1,800	5372226300	989.00	5372227900	1,036.00	5372229500	1,084.00
		1,900	5372226400	1,009.00	5372228000	1,059.00	5372229600	1,108.00
		2,000	5372226500	1,038.00	5372228100	1,088.00	5372229700	1,141.00

### **CLEANROOM TABLES**

### Square tube with perforated worktop

Model / desig	nation	Width		600		700		800
	RATVU-GEL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
	Cleanroom table,	500	5372229800	746.00	5372231400	765.00	5372233000	783.00
	square tube (height 900 mm)	600	5372229900	772.00	5372231500	793.00	5372233100	816.00
1		700	5372230000	796.00	5372231600	822.00	5372233200	846.00
	T-blok	800	5372230100	817.00	5372231700	843.00	5372233300	868.00
Tabletop made of 1.5 mm thick stainless steel	900	5372230200	833.00	5372231800	864.00	5372233400	893.00	
	with 42 mm edging on all sides,	1,000	5372230300	861.00	5372231900	895.00	5372233500	926.00
	12 mm of which is angled 15° to the inside, Perforation (diameter 10 mm,	1,100	5372230400	890.00	5372232000	925.00	5372233600	959.00
		1,200	5372230500	909.00	5372232100	946.00	5372233700	982.00
		1,300	5372230600	933.00	5372232200	974.00	5372233800	1,013.00
	holes in a grid spaced at	1,400	5372230700	960.00	5372232300	1,005.00	5372233900	1,049.00
	15 x 15 mm) to support laminar air flow, stabilised with	1,500	5372230800	980.00	5372232400	1,026.00	5372234000	1,071.00
	reinforcement depending on	1,600	5372230900	999.00	5372232500	1,046.00	5372234100	1,092.00
d fr fl	design and dimensions, base	1,700	5372231000	1,015.00	5372232600	1,067.00	5372234200	1,117.00
	frame made of square tube,	1,800	5372231100	1,042.00	5372232700	1,097.00	5372234300	1,150.00
	floor level compensation with	1,900	5372231200	1,063.00	5372232800	1,119.00	5372234400	1,173.00
	disc-shaped feet made of CNS (+/- 10 mm)	2,000	5372231300	1,082.00	5372232900	1,138.00	5372234500	1,194.00

Material: stainless steel 1.4301, surface with KEK finish















# **CLEANROOM TABLES**

### Square tube with base shelf and unperforated worktop

Model / desig	nation	Width		600		700		800
	RATVG-GL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
	Cleanroom table,	500	5372234600	822.00	5372236200	840.00	5372237800	859.00
	square tube (height 900 mm)	600	5372234700	842.00	5372236300	863.00	5372237900	882.00
	(neight 300 mm)	700	5372234800	872.00	5372236400	899.00	5372238000	922.00
	Tabletop made of 1.5 mm thick	800	5372234900	894.00	5372236500	920.00	5372238100	947.00
	stainless steel with 42 mm edging on all sides, 12 mm of which is	900	5372235000	912.00	5372236600	942.00	5372238200	973.00
	angled 15° to the inside, smooth surface, stabilised with	1,000	5372235100	932.00	5372236700	963.00	5372238300	993.00
		1,100	5372235200	963.00	5372236800	997.00	5372238400	1,029.00
	reinforcement depending on design and dimensions, base frame made	1,200	5372235300	983.00	5372236900	1,017.00	5372238500	1,054.00
	of square tube, base shelf	1,300	5372235400	1,013.00	5372237000	1,055.00	5372238600	1,094.00
	permanently welded-in and	1,400	5372235500	1,035.00	5372237100	1,077.00	5372238700	1,119.00
	featuring a smooth surface, floor level compensation with	1,500	5372235600	1,071.00	5372237200	1,115.00	5372238800	1,160.00
	disc-shaped feet made of CNS	1,600	5372235700	1,090.00	5372237300	1,136.00	5372238900	1,184.00
	(+/- 10 mm)	1,700	5372235800	1,111.00	5372237400	1,160.00	5372239000	1,206.00
	Material: stainless steel 1.4301, surface with KEK finish	1,800	5372235900	1,129.00	5372237500	1,179.00	5372239100	1,229.00
		1,900	5372236000	1,149.00	5372237600	1,202.00	5372239200	1,256.00
		2,000	5372236100	1,179.00	5372237700	1,235.00	5372239300	1,290.00

### **CLEANROOM TABLES**

### Square tube with base shelf and perforated worktop

Model / desig	nation	Width		600		700		800
	RATVG-GEL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
	Cleanroom table,	500	5372239400	861.00	5372241000	878.00	5372242600	898.00
	square tube (height 900 mm)	600	5372239500	886.00	5372241100	910.00	5372242700	932.00
,	(neight 300 mm)	700	5372239600	920.00	5372241200	947.00	5372242800	973.00
	Tabletop made of 1.5 mm thick	800	5372239700	940.00	5372241300	969.00	5372242900	997.00
	stainless steel with 42 mm edging on all sides, 12 mm of which is	900	5372239800	959.00	5372241400	989.00	5372243000	1,019.00
	ngled 15° to the inside,	1,000	5372239900	987.00	5372241500	1,020.00	5372243100	1,056.00
	Perforation (diameter 10 mm, holes	1,100	5372240000	1,017.00	5372241600	1,054.00	5372243200	1,089.00
	in a grid spaced at 15 x 15 mm) to support laminar air flow, stabilised	1,200	5372240100	1,037.00	5372241700	1,077.00	5372243300	1,113.00
	with reinforcement depending on	1,300	5372240200	1,070.00	5372241800	1,112.00	5372243400	1,156.00
	design and dimensions, base	1,400	5372240300	1,095.00	5372241900	1,144.00	5372243500	1,189.00
	frame made of square tube, base shelf with a perforated surface the	1,500	5372240400	1,133.00	5372242000	1,183.00	5372243600	1,228.00
	same as the worktop, permanently	1,600	5372240500	1,153.00	5372242100	1,202.00	5372243700	1,253.00
	welded-in, floor level compensation	1,700	5372240600	1,172.00	5372242200	1,224.00	5372243800	1,278.00
	with disc-shaped feet made of CNS (+/- 10 mm)	1,800	5372240700	1,200.00	5372242300	1,257.00	5372243900	1,312.00
	(	1,900	5372240800	1,220.00	5372242400	1,278.00	5372244000	1,336.00
	Material: stainless steel 1.4301, surface with KEK finish	2,000	5372240900	1,240.00	5372242500	1,301.00	5372244100	1,359.00



### TABLE FRAMES

### **Square tube**

Model / designation

TGVU-HIG Table frame, square tube (height 900 mm)

5372164700

Substructure for table frames in cleanroom design, upper tabletop supporting frame made of square tube and featuring (depending on the length of the tabletop) supporting brackets for reinforcement of the tabletop, feet profiles and struts made of square tube with stainless steel disc-shaped feet. Feet can be height-adjusted by +/- 10 mm.

Material: stainless steel 1.4301, surface with KEK finish

Width	550	650	750
Length			
450	461.00	466.00	471.00
550	465.00	469.00	474.00
650	473.00	480.00	487.00
750	478.00	485.00	490.00
850	481.00	489.00	496.00
950	486.00	493.00	499.00
1,050	489.00	497.00	503.00
1,150	494.00	501.00	507.00
1,250	504.00	511.00	520.00
1,350	507.00	516.00	524.00
1,450	511.00	520.00	527.00
1,550	516.00	524.00	530.00
1,650	520.00	527.00	533.00
1,750	524.00	530.00	539.00
1,850	528.00	536.00	542.00
1,950	531.00	539.00	548.00



TGVG-GL-HIG Table frame, square tube with smooth base shelf (height 900 mm) 5372164800

Substructure for table frames in cleanroom design, upper tabletop supporting frame made of square tube and featuring (depending on the length of the tabletop) supporting brackets for reinforcement of the tabletop, feet profiles made of square tube with stainless steel disc-shaped feet. Feet can be height-adjusted by +/- 10 mm.

Equipped with a welded, smooth base shelf.

Material: stainless steel 1.4301, surface with KEK finish

Width	550	650	750
Length			
450	559.00	564.00	568.00
550	563.00	568.00	574.00
650	580.00	589.00	598.00
750	584.00	594.00	602.00
850	590.00	599.00	607.00
950	595.00	603.00	611.00
1,050	601.00	609.00	616.00
1,150	605.00	613.00	621.00
1,250	621.00	633.00	644.00
1,350	627.00	638.00	648.00
1,450	649.00	659.00	668.00
1,550	654.00	663.00	675.00
1,650	659.00	668.00	681.00
1,750	663.00	674.00	685.00
1,850	667.00	680.00	690.00
1,950	672.00	685.00	694.00















Price in €

# TABLE FRAMES

### **Square tube**

Model	Designation				Price in €
	TGVG-GEL-HIG	Width	550	650	750
	Table frame, square tube with perforated base shelf	Length			
	(height 900 mm)	450	574.00	580.00	585.00
	5372164900	550	580.00	585.00	592.00
		650	599.00	605.00	613.00
	Substructure for table frames in cleanroom design, upper tabletop	750	603.00	611.00	618.00
	supporting frame made of square	850	607.00	615.00	622.00
	tube and featuring (depending on the	950	612.00	619.00	628.00
	length of the tabletop) supporting brackets for reinforcement of the	1,050	617.00	625.00	633.00
	tabletop, feet profiles made of square	1,150	621.00	629.00	638.00
	tube with stainless steel disc-shaped	1,250	639.00	649.00	660.00
	feet.	1,350	644.00	655.00	664.00
	Feet can be height-adjusted by +/- 10 mm.	1,450	665.00	677.00	686.00
	Equipped with a welded, perforated	1,550	669.00	681.00	691.00
	base shelf, with perforations	1,650	675.00	686.00	696.00
	(diameter 10 mm, holes in a grid spaced at 15 x 15 mm)	1,750	681.00	691.00	701.00
	opassa at 10 x 10 mm)	1,850	685.00	695.00	707.00
	Material: stainless steel 1.4301, surface with KEK finish	1,950	690.00	701.00	711.00

# **FURNITURE ACCESSORIES**





**ZUB-ROL-HIG** 

Set of castors, diameter 100 mm, comprising 4 swivel castors, 2 of which are lockable, electrically conductive

 $\label{thm:lemma$ 





Dimensions in mm, prices in €

309.00



# TABLETOP SHELVES

Made of stainless steel 1.4301.



TAB-1-HIG Tabletop shelf 5372440900

1 shelf



TAB-2-HIG Tabletop shelf 5372441000

2 shelves

Length	TAB-1-HIG	TAB-2-HIG
500	405.00	715.00
600	407.00	724.00
700	419.00	734.00
800	425.00	753.00
900	435.00	773.00
1,000	445.00	791.00
1,100	454.00	812.00
1,200	463.00	830.00
1,300	474.00	851.00
1,400	481.00	869.00
1,500	494.00	887.00
1,600	509.00	918.00
1,700	523.00	947.00
1,800	539.00	975.00
1,900	554.00	1,005.00
2,000	571.00	1,041.00
2,100	734.00	1,276.00
2,200	753.00	1,314.00
2,300	773.00	1,352.00
2,400	791.00	1,391.00













# THE FASCINATION OF STAINLESS STEEL





# **CLEANROOM EQUIPMENT**

#### made of stainless steel

This section contains products made of stainless steel for vented cleanrooms, where the horizontal surfaces of the products used permit vertical air flow, as well as furniture for transfer hatches made of stainless steel and melamine resin-coated particle board.

The roughness of the stainless steel furniture is at least Ra = 0.4 µm so that dust particles do not become trapped in or adhere to the surface. Additional furniture can be found in our LAB.TEC catalogue.

#### Detailed views



Square tube



Round tube



Perforation diameter 5 mm, holes in a grid spaced at 16 x 16 mm



Perforation diameter 8 mm, holes in a grid spaced at 15 x 15 mm



Perforation diameter 10 mm, holes in a grid spaced at 15 x 15 mm

















Laminar flow box

# **CLEANROOM EQUIPMENT**

### made of melamine resin-coated particle board







Cleanroom cupboards

Cleanroom wardrobe







#### Melamine sit-over bench

- Basic material: melamine resin-coated particle board
- With a cleanroom-appropriate seating surface made of stainless steel, plastic or melamine resin-coated particle board
- Customer-specific designs, including the size and distribution of compartments, numbering for personal allocation, pass-through flaps, single or double-sided versions



Transfer hatch furniture

#### Cleanroom wardrobe

- Basic material: melamine resin-coated particle board
- Available as complete or modular systems
- Customer-specific designs, including the size and number of hangers
- Optional doors



### **TROLLEYS**

#### with smooth shelves

Cleanroom trolley with smooth or perforated shelf, comprising a shelf and square tube profiles with swivel castors, made of stainless steel (1.4301/AISI 304), functional surfaces with a KEK finish, shelf either with a smooth surface or perforations (diameter 10 mm, holes in a grid spaced at 15 x 15 mm to support laminar air flow), shelf permanently welded-in, stabilised with reinforcements depending on design and dimensions, square tube profiles closed off at the top with a plastic cap, 4 electrically conductive swivel castors, 2 of which are lockable

Order no.

5372289800

5372290100

5372290400

5372290700

5372291000

Price

875.00

884 00

901.00

904.00

919.00

Width

Length

800

900

1.000

1,100 1,200

Model / designation

#### RTW-1-GL-HIG

Trolley consisting of shelf, square tube profiles, handlebar and swivel castors.

Trolley height

1,000 mm with 1 smooth shelf

Price incl. handlebar



#### RTW-2-GL-HIG

Trolley consisting of shelf, square tube profiles and swivel castors.

Trolley height 1,000 mm with 2 smooth shelves

Price without handlebar

Length	Order no.	Price	Order no.	Price	Order no.	Price
800	5372292800	890.00	5372292900	925.00	5372293000	959.00
900	5372293100	909.00	5372293200	947.00	5372293300	984.00
1,000	5372293400	939.00	5372293500	981.00	5372293600	1,024.00
1,100	5372293700	946.00	5372293800	990.00	5372293900	1,036.00
1,200	5372294000	976.00	5372294100	1,036.00	5372294200	1,076.00

Order no.

5372289900

5372290200

5372290500

5372290800

5372291100

Price

894.00

904 00

921.00

944.00

Order no.

909.00

923.00

942.00

949.00

967.00

5372290000

5372290300

5372290600

5372291200

926.00 5372290900



#### RTW-3-GL-HIG

Trolley consisting of shelf, square tube profiles and swivel . castors.

Trolley height 1.000 mm with 3 smooth shelves

Price without handlebar

Length	Order no.	Price	Order no.	Price	Order no.	Price
800	5372295800	1,040.00	5372295900	1,090.00	5372296000	1,140.00
900	5372296100	1,067.00	5372296200	1,124.00	5372296300	1,181.00
1,000	5372296400	1,115.00	5372296500	1,176.00	5372296600	1,238.00
1,100	5372296700	1,122.00	5372296800	1,190.00	5372296900	1,258.00
1 200	5372297000	1 169 00	5372297100	1 243 00	5372297200	1 317 00

Further dimensions and designs with round tube profiles available on request.















### **TROLLEYS**

### with perforated shelves

1	-

Model / designation

#### RTW-1-GEL-HIG

Trolley consisting of shelf, square tube profiles, handlebar and swivel castors.

Width

Length

800

900

1,000

1,100

1.200

Order no.

5372291300

5372291600

5372291900

5372292200

5372292500

Price

898.00

906.00

921.00

925.00

939.00

Trolley height 1,000 mm with 1 perforated shelf

Price incl. handlebar




#### RTW-2-GEL-HIG

Trolley consisting of shelf, square tube profiles and swivel castors.

Trolley height 1,000 mm with 2 perforated shelves

Price without handlebar



Order no.

5372291400

5372291700

5372292000

5372292300

5372292600

Price

912.00

925.00

942.00

947.00

964.00



#### RTW-3-GEL-HIG

Trolley consisting of shelf, square tube profiles and swivel castors.

Trolley height 1,000 mm with 3 perforated shelves

Price without handlebar

Length	Order no.	Price	Order no.	Price	Order no.	Price
800	5372297300	1,061.00	5372297400	1,113.00	5372297500	1,163.00
900	5372297600	1,088.00	5372297700	1,143.00	5372297800	1,202.00
1,000	5372297900	1,135.00	5372298000	1,197.00	5372298100	1,259.00
1,100	5372298200	1,142.00	5372298300	1,212.00	5372298400	1,279.00
1,200	5372298500	1,190.00	5372298600	1,264.00	5372298700	1,336.00

### **Trolley accessories**

Model Designation Price in €



RTW-ZUB-HIG 5372183300 Handlebar, welded-on 134.00

600

Price

930.00

944.00

962.00

969.00

988.00

Order no.

5372291500

5372291800

5372292100

5372292400

5372292700

Further dimensions and designs with round tube profiles available on request.



# THE FASCINATION OF STAINLESS STEEL















# MICROSCOPE TABLE

### made of round or square tube


Model	Designation	Order no.	Price in €
	Microscope table made of round tube  Dimensions Length: 1200 mm  Width: 800 mm  Height: 780 mm		4,160.00
	Comprising:		
	Worktop with table frame 1200 x 800 x 780 mm,		
	<ul> <li>Worktop type: AP150-GEL-HIG with perforation, hole diameter 10 mm, holes spaced 15 x 15 mm, with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, with 1 cutout at the front for the granite plate</li> </ul>		
	<ul> <li>Table frame type: TGRU-HIG made of round tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm, material 1.4301, surface with a KEK finish,</li> </ul>		
	Table frame for granite plate 1020 x 500 x 670 mm,		
	<ul> <li>Table frame type: TGRU-HIG made of round tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm</li> </ul>		
	Material 1.4301, surface with a KEK finish		
	<ul> <li>1 granite plate with vibration damping measuring 450 x 500 x 80 mm, material: Tarn Grey Granite, surface polished on all sides, sharp edges removed</li> </ul>		
	Microscope table made of square tube		4,050.00
	Dimensions Length: 1200 mm Width: 800 mm Height: 780 mm		
	Comprising:		
	Worktop with table frame 1200 x 800 x 780 mm,		
	<ul> <li>Worktop type: AP150-GEL-HIG with perforation, hole diameter 10 mm, holes spaced 15 x 15 mm, with 42 mm edging on all sides, 12 mm of which is angled 15° to the inside, with 1 cutout at the front for the granite plate</li> </ul>		
	<ul> <li>Table frame type: TGVU-HIG made of square tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm, material 1.4301, surface with a KEK finish,</li> </ul>		
	Table frame for granite plate 1020 x 500 x 670 mm,		
	<ul> <li>Table frame type: TGVU-HIG made of square tube with 3-sided (U-shaped) struts and stainless steel disc-shaped feet, height-adjustable by +/- 10 mm</li> </ul>		
	Material 1.4301, surface with a KEK finish		
	<ul> <li>1 granite plate with vibration damping measuring 450 x 500 x 80 mm, material: Tarn Grey Granite, surface polished on all sides, sharp edges removed</li> </ul>		

Dimensions in mm, prices in  $\ensuremath{\varepsilon}$ 



#### with smooth shelves

Cleanroom shelf unit consisting of a base frame with welded shelves. Material stainless steel (1.4301/AISI 304), functional surfaces with a KEK finish, base frame made of square tube, top ends closed off with plastic caps, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm), shelves, edging on all sides, permanently welded-in, smooth surface, stabilised with reinforcement depending on design and dimensions





Cleanroom shelf unit with 4 smooth shelves

RR-4-GL-HIG

Shelf unit height 1.350 mm

Length	Order no	Price	Order no	Price	Order no	Price
500	5372270000	854.00	5372270100	901.00	5372270200	947.00
600	5372270300	893.00	5372270400	947.00	5372270500	1,003.00
700	5372270600	930.00	5372270700	992.00	5372270800	1,057.00
800	5372270900	970.00	5372271000	1,040.00	5372271100	1,113.00
900	5372271200	1,009.00	5372271300	1,087.00	5372271400	1,167.00
1,000	5372271500	1,075.00	5372271600	1,162.00	5372271700	1,247.00
1,100	5372271800	1,113.00	5372271900	1,209.00	5372272000	1,303.00
1,200	5372272100	1,150.00	5372272200	1,254.00	5372272300	1,358.00
1,300	5372272400	1,188.00	5372272500	1,299.00	5372272600	1,412.00
1,400	5372272700	1,227.00	5372272800	1,347.00	5372272900	1,467.00
1,500	5372273000	1,266.00	5372273100	1,394.00	5372273200	1,521.00

Further dimensions and designs with round tube profiles available on request.















### with smooth shelves


Model / designatio	n	Width		400		500		600
	RR-5-GL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
		500	5372276600	983.00	5372276700	1,041.00	5372276800	1,100.00
	Cleanroom shelf unit with 5 smooth shelves	600	5372276900	1,032.00	5372277000	1,100.00	5372277100	1,169.00
	with 5 smooth shelves	700	5372277200	1,081.00	5372277300	1,160.00	5372277400	1,237.00
	Shelf unit height	800	5372277500	1,129.00	5372277600	1,217.00	5372277700	1,306.00
	1,750 mm	900	5372277800	1,177.00	5372277900	1,276.00	5372778000	1,374.00
		1,000	5372278100	1,258.00	5372278200	1,367.00	5372278300	1,476.00
		1,100	5372278400	1,306.00	5372278500	1,426.00	5372278600	1,545.00
		1,200	5372278700	1,356.00	5372278800	1,484.00	5372278900	1,613.00
		1,300	5372279000	1,404.00	5372279100	1,542.00	5372279200	1,682.00
		1,400	5372279300	1,450.00	5372279400	1,600.00	5372279500	1,749.00
		1,500	5372279600	1,499.00	5372279700	1,661.00	5372279800	1,820.00
	RR-6-GL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
	01 15 15	500	5372283200	1,114.00	5372283300	1,183.00	5372283400	1,254.00
	Cleanroom shelf unit with 6 smooth shelves	600	5372283500	1,171.00	5372283600	1,254.00	5372283700	1,335.00
	01-16-2101-12-14	700	5372283800	1,230.00	5372283900	1,323.00	5372284000	1,418.00
	Shelf unit height 2,150 mm	800	5372284100	1,288.00	5372284200	1,394.00	5372284300	1,499.00
		900	5372284400	1,346.00	5372284500	1,465.00	5372284600	1,583.00
		1,000	5372284700	1,442.00	5372284800	1,573.00	5372284900	1,704.00
		1,100	5372285000	1,501.00	5372285100	1,644.00	5372285200	1,786.00
		1,200	5372285300	1,560.00	5372285400	1,714.00	5372285500	1,869.00
		1,300	5372285600	1,617.00	5372285700	1,784.00	5372285800	1,951.00
		1,400	5372285900	1,675.00	5372286000	1,854.00	5372286100	2,034.00
		1,500	5372286200	1,733.00	5372286300	1,924.00	5372286400	2,117.00

Further dimensions and designs with round tube profiles available on request.



#### with perforated shelves

Cleanroom shelf unit consisting of a base frame with welded shelves. Material stainless steel (1.4301/AISI 304), functional surfaces with a KEK finish, base frame made of square tube, top ends closed off with plastic caps, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm), shelves, edging on all sides, permanently welded-in, perforated surface (hole diameter 10 mm, holes in a grid spaced at 15 x 15 mm to support laminar air flow), stabilised with reinforcement depending on design and dimensions





RR-4-GEL-HIG Cleanroom shelf unit with 4 perforated shelves

Shelf unit height 1,350 mm

Length	Order no.	Price	Order no.	Price	Order no.	Price
500	5372273300	899.00	5372273400	945.00	5372273500	990.00
600	5372273600	936.00	5372273700	990.00	5372273800	1,046.00
700	5372273900	975.00	5372274000	1,038.00	5372274100	1,100.00
800	5372274200	1.013.00	5372274300	1,085.00	5372274400	1,157.00
900	5372274500	1.053.00	5372274600	1,132.00	5372274700	1,211.00
1,000	5372274800	1.118.00	5372274900	1,205.00	5372275000	1,291.00
1,100	5372275100	1.158.00	5372275200	1,252.00	5372275300	1,346.00
1,200	5372275400	1.194.00	5372275500	1,297.00	5372275600	1,400.00
1,300	5372275700	1.234.00	5372275800	1,344.00	5372275900	1,456.00
1,400	5372276000	1.272.00	5372276100	1,391.00	5372276200	1,512.00
1.500	5372276300	1.311.00	5372276400	1.438.00	5372276500	1.566.00

Further dimensions and designs with round tube profiles available on request.















### with perforated shelves

Model / designati	on	Width		400		500		600
	RR-5-GEL-HIG	Length	Order no.	Price	Order no.	Price	Order no.	Price
		500	5372279900	1,038.00	5372280000	1,095.00	5372280100	1,157.00
	Cleanroom shelf unit with 5 perforated	600	5372280200	1,086.00	5372280300	1,157.00	5372280400	1,223.00
	shelves	700	5372280500	1,135.00	5372280600	1,214.00	5372280700	1,292.00
		800	5372280800	1,183.00	5372280900	1,272.00	5372281000	1,361.00
	Shelf unit height	900	5372281100	1,231.00	5372281200	1,331.00	5372281300	1,430.00
	1,750 mm	1,000	5372281400	1,314.00	5372281500	1,422.00	5372281600	1,531.00
		1,100	5372281700	1,361.00	5372281800	1,481.00	5372281900	1,598.00
		1,200	5372282000	1,410.00	5372282100	1,538.00	5372282200	1,668.00
		1,300	5372282300	1,459.00	5372282400	1,597.00	5372282500	1,738.00
		1,400	5372282600	1,508.00	5372282700	1,655.00	5372282800	1,803.00
		1,500	5372282900	1,557.00	5372283000	1,715.00	5372283100	1,874.00



#### RR-6-GEL-HIG

Cleanroom shelf unit with 6 perforated shelves

Shelf unit height 2,150 mm

Length	Order no.	Price	Order no.	Price	Order no.	Price
500	5372286500	1,168.00	5372286600	1,238.00	5372286700	1,309.00
600	5372286800	1,226.00	5372286900	1,309.00	5372287000	1,390.00
700	5372287100	1,284.00	5372287200	1,379.00	5372287300	1,474.00
800	5372287400	1,342.00	5372287500	1,448.00	5372287600	1,557.00
900	5372287700	1,400.00	5372287800	1,519.00	5372287900	1,638.00
1,000	5372288000	1,496.00	5372288100	1,627.00	5372288200	1,758.00
1,100	5372288300	1,557.00	5372288400	1,698.00	5372288500	1,840.00
1,200	5372288600	1,614.00	5372288700	1,769.00	5372288800	1,924.00
1,300	5372288900	1,672.00	5372289000	1,838.00	5372289100	2,005.00
1,400	5372289200	1,729.00	5372289300	1,909.00	5372289400	2,089.00
1,500	5372289500	1,788.00	5372289600	1,980.00	5372289700	2,171.00


Further dimensions and designs with round tube profiles available on request.

Dimensions in mm, prices in  $\ensuremath{\varepsilon}$ 



### **Additional shelves**

Model / designatio	o <b>n</b>	Width	400	500	600
	RRGL-ZUB-HIG	Length			
	5372182500	500	111.00	123.00	134.00
	Smooth shelf	600	121.00	134.00	148.00
		700	130.00	147.00	161.00
		800	141.00	158.00	176.00
		900	150.00	169.00	190.00
		1,000	159.00	192.00	213.00
		1,100	181.00	204.00	227.00
		1,200	190.00	216.00	242.00
		1,300	200.00	227.00	256.00
		1,400	209.00	238.00	268.00
		1,500	219.00	250.00	282.00















# THE FASCINATION OF STAINLESS STEEL



Transfer hatch furniture with sit-over bench

- Basic material: melamine resin-coated particle board



# THE FASCINATION OF STAINLESS STEEL















# TRANSFER HATCHES

Transfer hatches are available in active and passive variants. They have electric door locks on both sides, and the interior chamber is executed with R20 radii. Material: Stainless steel 1.4301.

Model	Designation	Order no.	Price in €
	EMS-PA-CLE Passive design Internal dimensions: L x W x H 600 x 595 x 600 mm External dimensions: L x W x H 790 x 645 x 780 mm Incl. electric interlock	5272177500	9,305.00
		order for each specific project. The dimension ts on request. Special designs are also availa	
	Active material hatches are available on request		
	- Max. dimensions 800 x 800 x 1,200 mm		

- Doors glazed on both sides
- Surface-flush panes
- Stainless steel handles
- Electric door lock control system



# **WASTE SYSTEMS**

Model Designation Price in € 838.00 Cleanroom waste bin MSA-HIG 5372134200 Dimensions: 320 x 320 x 890 mm L x W x H
Material stainless steel (1.4301/AISI 304) Removable top part with swing lid Capacity 70 I 2,986.00 Cleanroom waste system MSAS-HIG 5372134300 Dimensions : 1010 x 490 x 1065 mm L x W x H Material stainless steel (1.4301/AISI 304) Removable top part with swing lid Capacity 2x 70 I With electrically conductive swivel castors, two of which are lockable

### **MIRRORS**

Model	Designation	Dimensions LxWxH	Order no	Price in €
	Cleanroom mirror	300 x 11 x 400	5372177600	100.00
	SPI-HIG	400 x 11 x 400	5372177700	111.00
	Material: 1.4301,	500 x 11 x 400	5372177800	123.00
	Surface: 2R reflective	600 x 11 x 400	5372177900	134.00
	Other since assellable	600 x 11 x 500	5372178000	151.00
	Other sizes available on request.	500 x 11 x 700	5372178100	166.00
		500 x 11 x 1,800	5372613000	291.00
		600 x 11 x 1,800	5372613100	313.00













# **GLOVE DISPENSERS**

Model	Designation	Dimesions/Prices			
	HSSPQ-HIG glove dispenser 5372133900	Length	Width	Hight	Price in €
	<ul> <li>Material stainless steel (1.4301/AISI 304)</li> <li>Functional surfaces with a KEK finish</li> <li>For loading with single packaging units</li> <li>Max. size of packaging unit: 250 mm x 90 mm x 132 mm</li> <li>2 fastening holes on the rear for wall mounting</li> </ul>	250	93	138	57.00
5	HSSPL-HIG glove dispenser     5372134000      Material stainless steel (1.4301/AISI 304)     Functional surfaces with a KEK finish     For loading with three packaging units     Max. size of packaging unit: 250 mm x 90 mm x 132 mm     Laser engraving on the side to indicate different glove sizes (S, M, L)     2 fastening holes on the rear for wall mounting	261	96	395	140.00
8 8	HSSPO-HIG glove dispenser     5372134100      Material stainless steel (1.4301/AISI 304)     Functional surfaces with a KEK finish     For loading with gloves sterile-packaged in pairs     2 fastening holes on the rear and on one side for wall mounting	320	160	260	267.00

# **DISPENSER BOXES**

SPB-1-HIG / 1 compartment   SPB-2-HIG / 2 compartments   SPB-3-HIG / 3 compartments   SPB-3-HIG / 3 compartments   SPB-3-HIG / 4 compartments   SPB-3-HIG / 3 c	Model	Designation	Order no	Length	Width	Hight	Price in €
Viewing slots on the front for checking the fill level     Stamped removal opening, removable collecting tray positioned underneath the removal opening     2 fastening holes on the rear for wall mounting		SPB-HIG dispenser box  A SPB-1-HIG / 1 compartment  B SPB-2-HIG / 2 compartments  SPB-3-HIG / 3 compartments  SPB-4-HIG / 4 compartments  • Material: stainless steel (1.4301/AISI 304)  • Functional surfaces with a KEK finish  • For loading with various disposable articles (hoods, gloves etc.), 1-4 compartments  • Fold-open lid with bow handle for filling  • Viewing slots on the front for checking the fill level  • Stamped removal opening, removable collecting tray positioned underneath the removal opening  • 2 fastening holes on the rear for wall	5372298800 5372298900 5372299000	200 400 600	200 200 200	600 600 600	299.00 375.00 450.00 528.00

Dimensions in mm, Prices in  $\in$ 



# **DISPENSER BOXES**

Cleanroom dispenser boxes, material stainless steel (1.4301/AISI 304), outside surfaces with a KEK finish, mill finish on the inside, front side with a 15° edge at the top (not welded), 2 fastening holes on the rear for wall mounting

	age at the top (not welded),					
Model	Designation	Order no	Length	Width	Hight	Price in €
	SPB-ODF-HIG	5372441100	320	160	260	372.00
	Dispenser box	5372441200	240	130	200	293.00
	Fill level indicator	5372441300	300	160	120	219.00
	at front	5372441400	320	320	120	236.00
		5372441500	300	300	120	233.00
		5372441600	250	250	120	222.00
0	SPB-ODR-HIG	5372441700	320	160	260	372.00
	Dispenser box	5372441800	240	130	200	293.00
	Round opening for removal					
9	SPB-ODFQ-HIG	5372442500	320	160	260	391.00
	Dispenser box	5372442600	240	130	200	312.00
	Fill level indicator with removal opening					
	SPB-DF-HIG	5372442700	320	160	260	398.00
	Dispenser box	5372442800	240	130	200	316.00
	Inside lid, hinged, fill level	5372442900	300	160	120	246.00
	indicator at front	5372443000	320	320	120	271.00
		5372443100	300	300	120	266.00
$\checkmark$		5372443200	250	250	120	251.00
	SPB-DR-HIG	5372443300	320	160	260	398.00
	Dispenser box	5372443400	240	130	200	316.00
	Inside lid, hinged, round opening for removal					
	SPB-DFQ-HIG	5372444100	320	160	260	417.00
	Dispenser box Inside lid, hinged, fill level indicator with removal opening	5372444200	240	130	200	337.00















# SIT-OVER BENCHES

### made of melamine

Model		Designation	Dimensions LxWxH	Order no.	Order no.	Price in €
				Colour White	Colour Grey	
	Melamine sit-over bench, version with melamine plinth Material: melamine resin-coated particle board, seating surface made of melamine resin-coated particle board, customer-specific designs, including the size and distribution of compartments, numbering for personal allocation, pass-through flaps available on request	HSOB 319-HIG 3 rows, 1-sided, 9 compartments	820 x 450 x 600	5372133300	5372133301	551.00
		HSOB 3112-HIG 3 rows, 1-sided, 12 compartments	1,090 x 450 x 600	5372133400	5372133401	607.00
		HSOB 3115-HIG 3 rows, 1-sided, 15 compartments	1,360 x 450 x 600	5372133500	5372133501	757.00
		HSOB 329-HIG 3 rows, 2-sided, 2x9 compartments	820 x 600 x 600	5372133600	5372133601	853.00
	Other dimensions available on request.	HSOB 3212-HIG 3 rows, 2-sided, 2x12 compartments	1,090 x 600 x 600	5372133700	5372133701	1,136.00
		HSOB 3215-HIG 3 rows, 2-sided, 2x15 compartments	1,360 x 600 x 600	5372133800	5372133801	1,420.00

Model		Designation	Dimensions LxWxH	Order no.	Order no.	Price in €
				Colour White	Colour Grey	
	bench, version with stainless steel plinth  Material: melamine resin-coated particle board, seating surface made of melamine resin-coated particle board, customer-specific designs, including the size and distribution of compartments, numbering for personal allocation, pass-through flaps available on request	HSOB 319 ED-HIG 3 rows, 1-sided, 9 compartments	820 x 450 x 600	5372196400	5372196401	642.00
		HSOB 3112 ED-HIG 3 rows, 1-sided, 12 compartments	1,090 x 450 x 600	5372196500	5372196501	730.00
		HSOB 3115 ED-HIG 3 rows, 1-sided, 15 compartments	1,360 x 450 x 600	5372196600	5372196601	910.00
		HSOB 329 ED-HIG 3 rows, 2-sided, 2x9 compartments	820 x 600 x 600	5372196700	5372196701	959.00
		HSOB 3212 ED-HIG 3 rows, 2-sided, 2x12 compartments	1,090 x 600 x 600	5372196800	5372196801	1,277.00
	avaliable of fequest.	HSOB 3215 ED-HIG 3 rows, 2-sided, 2x15 compartments	1,360 x 600 x 600	5372196900	5372196901	1,595.00



# THE FASCINATION OF STAINLESS STEEL













# SIT-OVER BENCHES

### made of stainless steel

Model		Designation	Dimensions LxWxH	Order no.	Price in €
	Stainless steel sit-over bench  With a cleanroom-appropriate seating surface made of stainless steel Material 1.4301, customer-specific designs, including the size and distribution of the compartments, numbering for personal allocation, pass-through flaps available on request  Single-sided version with rear wall.  Other dimensions available on request.	ESOB 319-HIG 3 rows, 1-sided, 9 compartments	820 x 450 x 600	5370295700	1,399.00
		ESOB 3112-HIG 3 rows, 1-sided, 12 compartments	1,090 x 450 x 600	5370295800	1,825.00
		ESOB 3115-HIG 3 rows, 1-sided, 15 compartments	1,360 x 450 x 600	5370295900	2,250.00
		ESOB 329-HIG 3 rows, 2-sided, 2x9 compartments	820 x 600 x 600	5370296000	2,189.00
		ESOB 3212-HIG 3 rows, 2-sided, 2x12 compartments	1,090 x 600 x 600	5370296100	2,873.00
		ESOB 3215-HIG 3 rows, 2-sided, 2x15 compartments	1,360 x 600 x 600	5370296200	3,557.00

Model		Designation	Dimensions LxWxH	Order no.	Price in €
P	Stainless steel sit-over bench  Basic material stainless steel 1.4301, with 4 legs	ESOB-123-HIG	900 x 450 x 500	5372133000	1,050.00
	made of square tube 40 x 40 mm with height-adjustable stainless steel feet, as well as 2 single-walled shoe shelves welded at an angle Other dimensions available on request	ESOB-124-HIG	1,100 x 450 x 500	5372133100	1,094.00
		ESOB-125-HIG	1,400 x 450 x 500	5372133200	1,151.00



## **COAT RACKS**

Model	Designation	Dimensions LxWxH	Order no.	Price in €
	Cleanroom coat rack Made of square tube STGAVK-HIG  Coat rack comprising base frame	1,000 x 500 x 2,000 with 9 hangers	5370296400	1,200.00
	and clothes hangers, material stainless steel (1.4301/AISI 304), clothes hangers permanently welded-in, base frame made of square tube, cross strut for increased stability, square tube profiles closed off with plastic caps	1,300 x 500 x 2,000 with 12 hangers	5370296500	1,356.00
	(black) at the top, floor level compensation with disc-shaped feet made of CNS (+/- 10 mm)  *Optional trim panels and/or assembly for fan filter units (FFU)	1,600 x 500 x 2,000 with 15 hangers	5370296600	1,530.00

Other dimensions and designs with round tube profiles available on request.

# WALL-MOUNTED COAT RACKS

Model	Designation	Dimensions LxWxH	Order no.	Price in €
	Cleanroom wall-mounted coat rack made of square tube WGA-HIG	800 x 500 x 305 with 7 hangers	5372304000	805.00
and clothes hangers, mate	Coat rack comprising base frame and clothes hangers, material stainless steel (1.4301/AISI 304), clothes hangers permanently.	900 x 500 x 305 with 8 hangers	5372304100	874.00
	welded-in, base frame made of square tube, square tube profiles closed off with plastic caps (black), prepared for wall installation by the	1,000 x 500 x 305 with 9 hangers	5372304200	937.00
custo	customer, 4x fastening holes closed off with plastic caps (black), without fastening materials	1,100 x 500 x 305 with 10 hangers	5372304300	1,005.00
		1,200 x 500 x 305 with 11 hangers	5372304400	1,072.00

Other dimensions available on request.













# THE FASCINATION OF STAINLESS STEEL









### GENERAL INFORMATION

- All prices are subject to VAT at the legally applicable rate. With publication of this price list, any previously published price lists cease to be valid.
- We reserve the right to make changes as part of technical progress at any time. Errors excepted.
- Our prices are not binding and are subject to confirmation.
- Disposal of the packaging is handled via the Interseroh system. Corresponding contact information can be found at the home page at www.interseroh.de.
- KEK must be notified in writing of all goods returns. Return transport is at the cost and risk of the causer. After receipt of the goods and assessment of their condition, a credit note for the remaining value will be issued, from which a minimum of 15% of the net value of the goods will however be deducted.

**Custom-made products cannot** be returned or exchanged.

- The carrier delivering the goods must be notified of any transport damage immediately upon receipt of the goods. The customer must refuse acceptance of the damaged goods. If this is not possible in exceptional cases (e.g. hidden transport damage), the goods can remain in their delivered state with packaging at the customer until the situation is clarified. However, we must be notified of the hidden damage within 5 working days. No replacement can be offered for transport damage that is not reported in time.
- All weights and dimensions specified are provided as guide values only. Minor colour deviations are possible.
- The transport, assembly and installation instructions enclosed with the products must always be complied with.
- All sales and deliveries are subject to our "General terms and conditions", which can be found on our website at: www.kekdresden.com.















### CARE INSTRUCTIONS

#### **Chrome-nickel steel**

The three materials iron, chrome and nickel form the basis of this material. Chrome ensures that the material does not rust, and nickel provides it with the necessary elasticity required for shaping. This combination offers the following advantages:

- Resistance to many acids and alkaline solutions found in the home,
- Insusceptibility to heat, impact, abrasion and other mechanical influences.
- Hygienic, easy to care for and still looks great after many years

A so-called flash rust can occur, which is generally the result of external contamination.

# Furniture particle board MFB EN 312 (P2)

Our cabinets are made of melamine resincoated furniture particle board.

An accumulation of drops (standing water) can cause the material to swell. To avoid damaging the furniture, wipe it dry afterwards.

The ability of water to creep in or penetrate can also lead to damage. For this reason the connection area of the cover plate to other cabinets and wall surfaces must be sealed with silicone or other suitable sealing compounds.

For cleaning of the furniture, we recommend wiping them with a clean, damp cloth or using mild detergents. The use of cleaning agents containing alcohol or abrasive or sharp cleaning agents will cause the surface to become dull.

### Terms and conditions of pricing and delivery

Unless indicated otherwise in our order confirmation, our prices are "ex works".

Express deliveries and special sizes (from a length of 2,400 mm) are carried out on request. The transfer of risk takes place when the customer takes charge of the goods.



## THE FASCINATION OF STAINLESS STEEL



To find out more about our wide range of technical cleanroom equipment and all the different variations and options we offer, please visit the CLEAN.TEC section of our website at

www.kek-dresden.com













### CONTENTS LAB.TEC

6-12	Wash troughs and hygie	ne
6-8	sinks	18-19
10-12	Wash troughs and hygiene sinks	18
13	Accessories for wash troughs and hygiene sinks	19
13	Laboratory work tables	20-21
14-15	Table frames	00.04
15	Table frames	22-24
	Table frame – square tube	22-23
16-17	Special design for table frames	24
	Tabletop shelves	24
16		
17		
	6-8 10-12  13 13 14-15 15  16-17	6-8 10-12 Wash troughs and hygiene sinks Accessories for wash troughs and hygiene sinks  13 Laboratory work tables 14-15 Table frames Table frame – square tube  16-17 Special design for table frames Tabletop shelves













Cabinets	26-32	Washing and autopsy tables	39-41
Underbench cabinets	26-28	Air supply hood	41
Roller storage units	29	All Supply Hood	7
Tall cupboards/extension cupboards	30	<b>Technical description</b>	42-49
Wall-mounted cabinets	31	General information	5(
Intermediate shelves for cabinets	31		30
Special cabinets	32	Care instructions	51
Furniture accessories	33		
Open shelf systems	35-38		
Technical description	35		
Open shelf systems – with smooth shelves	s 36		
Open shelf systems – with perforated shelf	ves 37		
Accessories for onen shelf systems	38		




#### **AP 120-LAB**


#### **AP 120-LAB**

Worktops for challenging laboratory medical and applications.

Made of 1.2 mm thick stainless steel 1.4301, visible surfaces with a KEK finish, with 40 mm bevelled edge on all sides (optionally 30/37/50 mm). Simple upstands are offered at no additional charge. Front side with drip edge on folded-down edges, otherwise with a 15 mm long folded-in edge (90°).

Underside with water-resistantly glued particle board P3, as full and frame lining to the height of folded-down edge. the Underside with protective coating and stainless steel shielding plate on the front side (standard).





Width	300	400	500	600	700	800	900	1000
Length								
500	264.00	275.00	291.00	306.00	323.00	338.00	368.00	383.00
600	274.00	292.00	303.00	323.00	339.00	353.00	386.00	400.00
700	294.00	307.00	317.00	339.00	353.00	370.00	399.00	415.00
800	305.00	315.00	328.00	346.00	367.00	386.00	424.00	444.00
900	314.00	327.00	341.00	357.00	379.00	398.00	441.00	462.00
1,000	324.00	344.00	350.00	375.00	399.00	426.00	479.00	504.00
1,100	342.00	352.00	367.00	386.00	412.00	438.00	491.00	516.00
1,200	354.00	369.00	379.00	397.00	425.00	453.00	508.00	537.00
1,300	369.00	381.00	392.00	410.00	441.00	469.00	529.00	562.00
1,400	377.00	392.00	403.00	423.00	454.00	486.00	547.00	577.00
1,500	394.00	411.00	420.00	439.00	472.00	508.00	576.00	611.00
1,600	403.00	415.00	427.00	446.00	485.00	522.00	599.00	636.00
1,700	424.00	434.00	443.00	464.00	500.00	537.00	607.00	642.00
1,800	430.00	438.00	453.00	473.00	516.00	558.00	639.00	681.00
1,900	438.00	453.00	466.00	483.00	526.00	569.00	657.00	700.00
2,000	472.00	488.00	499.00	518.00	562.00	603.00	687.00	731.00
2,100	487.00	500.00	511.00	532.00	575.00	620.00	710.00	752.00
2,200	494.00	508.00	520.00	539.00	588.00	638.00	737.00	788.00
2,300	504.00	525.00	540.00	549.00	602.00	653.00	757.00	810.00
2,400	523.00	540.00	547.00	565.00	620.00	674.00	781.00	836.00
2,500	549.00	565.00	575.00	596.00	649.00	701.00	809.00	862.00
2,600	557.00	573.00	583.00	601.00	662.00	722.00	844.00	904.00
2,700	576.00	588.00	601.00	619.00	677.00	735.00	852.00	911.00
2,800	587.00	601.00	608.00	632.00	695.00	760.00	863.00	927.00
2,900	634.00	650.00	656.00	677.00	724.00	771.00	889.00	936.00
3,000	666.00	684.00	692.00	712.00	757.00	803.00	896.00	941.00
3,100	682.00	694.00	710.00	725.00	772.00	818.00	912.00	960.00
3,200	691.00	707.00	716.00	736.00	786.00	837.00	937.00	987.00
3,300	705.00	718.00	731.00	748.00	802.00	856.00	964.00	1,018.00
3,400	716.00	725.00	741.00	762.00	815.00	868.00	978.00	1,031.00
3,500	750.00	766.00	775.00	797.00	848.00	900.00	1,005.00	1,056.00
3,600	767.00	779.00	794.00	801.00	860.00	917.00	1,032.00	1,091.00
3,700	775.00	788.00	801.00	818.00	874.00	927.00	1,035.00	1,104.00
3,800	784.00	803.00	812.00	831.00	890.00	951.00	1,072.00	1,133.00













#### **AP 150-LAB**


#### **AP 150-LAB**

Worktops for challenging laboratory and medical applications.

Made of 1.5 mm thick stainless steel 1.4301, visible surfaces with a KEK finish, with 40 mm bevelled edge on all sides (optionally 30/37/50 mm). Simple upstands are offered at no additional charge. Front side with drip edge on folded-down edges, otherwise with a 15 mm long folded-in edge (90°).

Underside with water-resistantly glued particle board P3, as full and frame lining to the height of the folded-down edge. Underside with protective coating and stainless steel shielding plate on the front side (standard).





Width	300	400	500	600	700	800	900	1000
Length								
500	299.00	314.00	332.00	349.00	360.00	373.00	410.00	420.00
600	317.00	333.00	349.00	371.00	383.00	395.00	420.00	434.00
700	332.00	350.00	364.00	381.00	399.00	418.00	456.00	473.00
800	345.00	357.00	380.00	393.00	415.00	436.00	478.00	501.00
900	354.00	375.00	391.00	412.00	439.00	465.00	520.00	548.00
1,000	371.00	390.00	409.00	427.00	454.00	480.00	537.00	562.00
1,100	406.00	427.00	452.00	471.00	502.00	528.00	587.00	616.00
1,200	422.00	454.00	465.00	491.00	519.00	549.00	609.00	639.00
1,300	437.00	467.00	485.00	505.00	539.00	568.00	633.00	666.00
1,400	454.00	492.00	503.00	519.00	552.00	585.00	652.00	684.00
1,500	468.00	510.00	528.00	538.00	571.00	609.00	679.00	716.00
1,600	488.00	522.00	551.00	582.00	621.00	661.00	737.00	776.00
1,700	504.00	542.00	570.00	603.00	640.00	677.00	751.00	788.00
1,800	519.00	550.00	579.00	615.00	659.00	701.00	791.00	834.00
1,900	532.00	564.00	597.00	626.00	673.00	716.00	803.00	850.00
2,000	551.00	587.00	620.00	653.00	698.00	742.00	834.00	880.00
2,100	609.00	626.00	691.00	738.00	795.00	848.00	957.00	1.013.00
2,200	627.00	644.00	709.00	749.00	806.00	863.00	975.00	1.032.00
2,300	643.00	663.00	722.00	767.00	820.00	876.00	986.00	1,039.00
2,400	663.00	705.00	740.00	784.00	840.00	895.00	1,005.00	1,060.00
2,500	684.00	724.00	765.00	805.00	863.00	920.00	1,035.00	1,094.00
2,600	716.00	743.00	789.00	851.00	911.00	971.00	1,092.00	1,154.00
2,700	732.00	781.00	825.00	867.00	930.00	992.00	1,117.00	1,179.00
2,800	748.00	796.00	837.00	883.00	948.00	1,014.00	1,134.00	1,200.00
2,900	777.00	825.00	865.00	913.00	972.00	1,031.00	1,161.00	1,220.00
3,000	802.00	849.00	894.00	939.00	996.00	1,056.00	1,170.00	1,228.00
3,100	832.00	881.00	931.00	981.00	1,046.00	1,110.00	1,237.00	1,302.00
3,200	844.00	899.00	947.00	999.00	1,066.00	1,132.00	1,262.00	1,.329.00
3,300	861.00	911.00	961.00	1,014.00	1,081.00	1,149.00	1,285.00	1,354.00
3,400	867.00	919.00	977.00	1,029.00	1,100.00	1,170.00	1,311.00	1,381.00
3,500	885.00	944.00	997.00	1,057.00	1,123.00	1,193.00	1,.333.00	1,401.00
3,600	933.00	990.00	1,044.00	1,097.00	1,170.00	1,244.00	1,392.00	1,466.00
3,700	941,00	999,00	1,060.00	1,113.00	1,187.00	1,261.00	1,409.00	1,483.00
3,800	956,00	1,016.00	1,072.00	1,132.00	1,210.00	1,287.00	1,443.00	1,522.00



#### **AP 200-LAB**


#### **AP 200-LAB**

Worktops for challenging laboratory and medical applications.

Made of 2.0 mm thick stainless steel 1.4301, visible surfaces with a KEK finish, with 40 mm bevelled edge on all sides (optionally 30/37/50 mm). Simple upstands are offered at no additional charge. Front side with drip edge on folded-down edges, otherwise with a 15 mm long folded-in edge (90°).

Underside with water-resistantly glued particle board P3, as full and frame lining to the height of the folded-down edge. Underside with protective coating and stainless steel shielding plate on the front side (standard).





Width	300	400	500	600	700	800	900	1000
Length								
500	322.00	340.00	357.00	377.00	387.00	395.00	437.00	445.00
600	345.00	359.00	380.00	401.00	413.00	423.00	445.00	456.00
700	355.00	378.00	394.00	411.00	430.00	452.00	495.00	514.00
800	372.00	389.00	415.00	425.00	449.00	469.00	513.00	538.00
900	383.00	407.00	425.00	446.00	478.00	510.00	573.00	607.00
1,000	399.00	419.00	446.00	463.00	491.00	517.00	571.00	599.00
1,100	449.00	475.00	509.00	529.00	562.00	592.00	652.00	683.00
1,200	466.00	511.00	522.00	550.00	582.00	613.00	675.00	709.00
1,300	483.00	524.00	546.00	569.00	603.00	635.00	700.00	734.00
1,400	505.00	557.00	569.00	583.00	619.00	653.00	723.00	760.00
1,500	518.00	576.00	603.00	601.00	638.00	675.00	749.00	785.00
1,600	544.00	595.00	634.00	674.00	714.00	752.00	832.00	869.00
1,700	558.00	613.00	657.00	694.00	733.00	771.00	847.00	886.00
1,800	577.00	624.00	665.00	711.00	755.00	800.00	890.00	935.00
1,900	595.00	639.00	683.00	723.00	769.00	812.00	902.00	948.00
2,000	603.00	653.00	700.00	743.00	792.00	837.00	930.00	977.00
2,100	690.00	713.00	811.00	879.00	940.00	1,000.00	1,121.00	1,184.00
2,200	719.00	735.00	832.00	889.00	951.00	1,014.00	1,134.00	1,195.00
2,300	735.00	753.00	844.00	912.00	967.00	1,023.00	1,139.00	1,193.00
2,400	756.00	816.00	869.00	931.00	987.00	1,041.00	1,154.00	1,210.00
2,500	773.00	831.00	890.00	945.00	1,006.00	1,066.00	1,187.00	1,246.00
2,600	820.00	857.00	925.00	1,019.00	1,078.00	1,138.00	1,258.00	1,316.00
2,700	836.00	910.00	974.00	1,032.00	1,099.00	1,163.00	1,293.00	1,360.00
2,800	855.00	924.00	989.00	1,050.00	1,116.00	1,183.00	1,314.00	1,381.00
2,900	875.00	942.00	1,006.00	1,070.00	1,138.00	1,206.00	1,342.00	1,410.00
3,000	893.00	960.00	1,029.00	1,090.00	1,157.00	1,222.00	1,354.00	1,418.00
3,100	930.00	1,005.00	1,078.00	1,151.00	1,227.00	1,304.00	1,456.00	1,531.00
3,200	946.00	1,027.00	1,103.00	1,176.00	1,252.00	1,328.00	1,479.00	1,557.00
3,300	964.00	1,040.00	1,114.00	1,189.00	1,268.00	1,344.00	1,499.00	1,577.00
3,400	969.00	1,048.00	1,134.00	1,209.00	1,289.00	1,370.00	1,533.00	1,615.00
3,500	974.00	1,063.00	1,144.00	1,228.00	1,309.00	1,390.00	1,552.00	1,633.00
3,600	1,044.00	1,132.00	1,212.00	1,291.00	1,378.00	1,462.00	1,633.00	1,720.00
3,700	1,053.00	1,141.00	1,231.00	1,309.00	1,396.00	1,483.00	1,658.00	1,745.00
3,800	1,070.00	1,158.00	1,246.00	1,333.00	1,422.00	1,513.00	1,690.00	1,780.00















# THE FASCINATION OF STAINLESS STEEL





### Special designs

Model	Designation		Price
	A-LAB – Upstand, material thickness 40		42.00
	KA-LAB – Box upstand 40/20		
	Box upstand 30-100/20 mm, up to a maximum length of 3,800 mm, sides	closed	E0 00
	1-sided 2-sided		59.00 110.00
	3-sided		147.00
	Box upstand set back		17.00
	KA-R20-LAB – Box upstand R20 50/20		
<u> </u>	1-sided box upstand R20 (sides closed)		183.00
	2-sided box upstand R20 (1 rounded corner visible on inside, s 3-sided box upstand R20 (2 rounded corners visible on inside, s		360.00 524.00
001 R20	Box upstand set back	,	17.00
	Radius: R20, box upstand at least 50 mm, max. length 3,800 mm, sides of	losed	
	Box upstand closed at the rear, glued and silicone-treated	running metre	29.00
	Box upstand closed at the rear and welded	running metre	138.00
	PR7-LAB – All-around stamped profile edge (7 mm high)		
	Length of worktop up to 1,000 mm, stamped		104.00
[	Length of worktop up to 2,000 mm, stamped Length of worktop up to 3,000 mm, stamped		118.00 136.00
	Length of worktop up to 3,800 mm, stamped		148.00
	Only for AP 120 and for a worktop width of up to approx. 750 mm		
	WR-LAB – Edged bead with edging (AP 120/AP 150: 7 mm	high; AP 200: 10 mm h	igh)
	1-sided bevelled edge		102.00
/// 7	2-sided bevelled edge 3-sided bevelled edge		151.00 202.00
1-	4-sided bevelled edge		255.00
	each additional bevelled edge		53.00
	TF-LAB – Grooved draining board		
000,750	The raised grooves have a slight downward gradient, but comp	lete water run-off canno	t be
	ensured. Max. 800 mm long (price without sink)		88.00
	Only for AP 120 and for a worktop width of up to approx. 750 mm		
	CNS-ST-LAB - Stainless steel shielding plate on the under	side (additional)	
	Without silicone sealing Drip edge silicone-treated	running metre running metre	23.00 9.00
	Drip edge silloone-reduced	running meac	0.00
_	Stainless steel trim panel on the underside		
	With silicone sealing, smooth without cutout	m²	165.00
	With silicone sealing, smooth without cutout Cutout in underside, without silicone	m²	201.00 44.00
	Cutout in underside, with silicone	_	78.00
	Additional charge for underside in material thickness	m²	136.00
	Additional charge for lowest layer	ruppina matu-	22.00
	Lining underneath with melamine resin-coated particle board	running metre	33.00
Confinal Buston manual as "			
Caution! Due to manual sanding in the welding area, deviations			
from the KEK finish on the surface are possible.			
•			















Dimensions in mm, prices in  $\ensuremath{\varepsilon}$ 

### Special designs

Model	Designation			Price
	AP-SST-GL-LAB	Bolted connection, smooth version		32.00
	AP-SST-PR7-LAB	Bolted connection and profile edge for AP120 only		32.00
	AP-SST-WR-LAB	Bolted connection and edged bead		32.00
and the second second	AP-SST-PR7-E-LAB	Bolted connection and profile edge, for corner conn	ections for AP120 only	32.00
	AP-SST-WR-E-LAB	Bolted connection and edged bead, for corner conr	ections	32.00
	AP-SST-WR-D-LAB	Bolted connection and continuous edged bead with	edging	166.00
	AP-SST-WR-E-D-LAB	Bolted connection and continuous edged bead with edging for corner connections		258.00
	Hairline joint up to 900 mm, Hairline joint up to 900 mm,	smooth tabletop, with box upstand	ling	221.00 252.00 306.00 311.00
	WSN-LAB – Worktop weld	-		
	Smooth tabletop (overlength Tabletop with WR-LAB	ŕ	running metre	237.00
	(overlengths, overwidths and Smooth tabletop (overlength		running metre	318.00
		rlengths, overwidths and inclines)	running metre	343.00
	with box upstand		running metre	425.00
	BSN-LAB – Worktop prep AP 150-LAB and AP 200-LA			110.00



### Special designs

Model	Designation		Price
	AP-ASS-LAB – Cutout  Rectangular, simple (open) Round, simple (open) Rectangular with frame, max. 300 x 300 mm Rectangular with frame, larger than 300 x 300 mm up to a max. of 700 x 700 mm Round with frame, max. diameter 300 mm Round with frame, diameter larger than 300 mm up to a max. of 700 mm Cutout for ultrasonic bath with collar Ventilation slots (slotted holes) approx. 100 mm wide Tap hole bore up to dia. 50 (please state dimensions) Tap hole bore up to dia. 50 with pipe welded in	running metre	45.00 45.00 105.00 175.00 105.00 175.00 299.00 41.00 17.00 34.00 51.00
	Cable feedthrough, plastic, dia. 60 grey Plaster scraper dia. 200, welded in seam-free  AP-ASP-LAB – Cutout  Corner cutout, simple (open) Corner cutout with folded-down edge or upstand, up to 150 x 150 mm Corner cutout with folded-down edge or upstand, larger than 150 x 150 mm Corner cutout with box upstand, up to 150 x 150 mm Corner cutout with box upstand, larger than 150 x 150 mm Column cutout, simple (open) Column cutout with folded-down edge or upstand, up to 150 x 150 mm Column cutout with folded-down edge or upstand, larger than 150 x 150 mm Column cutout with box upstand, up to 150 x 150 mm Column cutout with box upstand, larger than 150 x 150 mm Column cutout with box upstand, larger than 150 x 150 mm Edged bead interrupted in the area of the cutout		21.00 46.00 88.00 191.00 34.00 88.00 107.00 226.00 246.00
	AP-ABS-LAB – Angled worktop  Angled over the entire width of the worktop, simple (open)  Angled over the entire width of the worktop, with folded-down edge or upstand		14.00 22.00
	AP-ABS-LAB – Worktop angled at end face Angled as an additional corner, simple (open) Angled as an additional corner, with folded-down edge or upstand		22.00 40.00
	AP-ARG-LAB – Worktops with rounded edges  Rounded edges up to R 300 mm, without drip edge Rounded edges up to R 300 mm, with drip edge Rounded edges greater than R 300 up to max. R 700 mm, without drip edge Rounded edges greater than R 300 up to max. R 700 mm, with drip edge	nuning ct	53.00 104.00 88.00 175.00
	MG-LAB – Measurement markings on the top side of the worktop In graduations of 100 mm, optionally on the folded-down edge  ES-LAB – Electrical signature Max. character height 37 mm	running metre	46.00 86.00















### WELD-IN SINKS

made of CNS material 1.4301 with stamped outlet, without stamped overflow, Sink welded in recessed position: stamped overflow edge around the sink.

Model	Designation	Sink dimensions L x W x D	Order no.	Stamped outlet	Flush welding	Recessed welding in AP 120 up to worktop width 750*	Recessed welding in AP 150/200 stamped, overflow edge with bevelled edge + 6%**
	ST-EB -	500 x 300 x 150	5472030400	1 1/2"	451.00	531.00	817.00
•	Weld-in sink	300 X 300 X 130	3472030400	1 /2	431.00	331.00	817.00
	ST-EB -	370 x 370 x 150	5472030500	1 ½"	362.00	441.00	708.00
4	Weld-in sink	400 x 400 x 200	5472030600	2"	360.00	439.00	726.00
	Outlet on the left or	400 x 400 x 250	5472030700	2"	380.00	459.00	748.00
	right – please state	400 x 400 x 300	5472030800	2"	422.00	501.00	789.00
	when ordering.	450 x 450 x 250	5472030900	2"	540.00	619.00	943.00
		500 x 500 x 250	5472031000	2"	486.00	565.00	925.00
		500 x 500 x 300	5472031100	2"	490.00	569.00	929.00
		500 x 500 x 350	5472031200	2"	658.00	737.00	1,097.00
		600 x 600 x 300	5472031300	2"	640.00	719.00	1,155.00
		700 x 700 x 350	5472031400	2"	1,386.00	1,466.00	1,980.00
•	ST-EB – Weld-in sink	200 x 400 x 170	5472031500	2"	405.00	485.00	702.00
	Weid-III SIIIK	300 x 500 x 300	5472031600	1 ½"	409.00	489.00	775.00
		240 x 370 x 150	5472224900	1 ½"	274.00	352.00	574.00
	Double sink	300 x 500 x 300	5472031800	1 ½"	777.00	857.00	1,308.00
•	ST-EB -	400 x 400 x 250	5472031900	2"	556.00	636.00	924.00
	Weld-in sink						
•	ST-EB -	500 x 400 x 200	5472032000	2"	505.00	585.00	907.00
	Weld-in sink	500 x 400 x 250	5472032100	2"	457.00	537.00	860.00
	Outlet on the left or	500 x 400 x 300	5472032200	2"	488.00	567.00	889.00
	right – please state	600 x 450 x 300	5472032300	2"	585.00	664.00	1,042.00
	when ordering.	600 x 450 x 350	5472032400	2"	875.00	954.00	1,332.00
		600 x 500 x 250	5472032500	2"	603.00	682.00	1,080.00
		600 x 500 x 300	5472032600	2"	617.00	697.00	1,093.00
		600 x 500 x 350	5472032700	2"	803.00	882.00	1,279.00
		700 x 500 x 300	5472032800	2"	852.00	932.00	1,366.00
		700 x 500 x 350	5472032900	2"	790.00	870.00	1,303.00
		700 x 600 x 300	5472033000	2"	859.00	937.00	1,412.00
•	ST-EB – Weld-in sink	240 x 340 x 150	5472033100	1 ½"	268.00	347.00	559.00
•	ST-EB – Weld-in sink Outlet on the left or right – please state when ordering.	340 x 370 x 150	5472033200	1 ½"	306.00	385.00	642.00

<sup>\*</sup> Sink welded in with stamped overflow edge

<sup>\*\*</sup> Sink welded in with stamped overflow edge, additional cost 6% for bevelled stamped part



### WELD-IN SINKS

### Special designs

Model	Designation	Sink dimensions L x W x D	Order no.	Stamped outlet	Flush welding	Recessed welding in AP 120 up to worktop width 750*	Recessed welding in AP 150/200 stamped, overflow edge with bevelled edge + 6%**
	SO-EB-R20 -	400 x 400 x 400	5472033400	2" right	1,093.00	1,172.00	1,461.00
•	Special weld-in	600 x 400 x 200	5472033500	2" right	887.00	967.00	1,325.00
	sink with R20 and	600 x 400 x 250	5472033600	2" right	957.00	1,037.00	1,394.00
	rounded corners	600 x 400 x 300	5472033700	2" right	1,032.00	1,111.00	1,469.00
	Special weld-in sink	600 x 400 x 350	5472033800	2" right	1,108.00	1,187.00	1,545.00
	with radius R20 and	600 x 400 x 400	5472033900	2" right	1,192.00	1,270.00	1,629.00
made of ma 1.4301. Witi stamped ou	rounded corners	600 x 500 x 400	5472034000	2" right	1,242.00	1,321.00	1,717.00
	1.4301. With	700 x 450 x 300	5472034100	2" right	1,102.00	1,181.00	1,595.00
	stamped outlet,	700 x 500 x 250	5472034200	2" right	1,051.00	1,131.00	1,563.00
	without valve or overflow.	700 x 500 x 400	5472034300	2" right	1,293.00	1,373.00	1,806.00
	Overnow.	800 x 400 x 250	5472034400	2" right	1,044.00	1,123.00	1,552.00
		800 x 400 x 400	5472034500	2" right	1,287.00	1,367.00	1,796.00
		1,000 x 400 x 300	5472034600	2" right	1,212.00	1,291.00	1,791.00
•	SO-EB-R20 -	400 x 400 x 400	5472475000	2" left	1,093.00	1,172.00	1,461.00
	Special weld-in sink with R20 and	600 x 400 x 200	5472475100	2" left	887.00	967.00	1,325.00
	rounded corners	600 x 400 x 250	5472475200	2" left 2" left	957.00	1,037.00	1,394.00
		600 x 400 x 300 600 x 400 x 350	5472475300 5472475400	2" left	1,032.00 1,108.00	1,111.00 1,187.00	1,469.00 1,545.00
	Special weld-in sink with radius R20 and	600 x 400 x 350	5472475400	2" left	1,192.00	1,187.00	1,629.00
	rounded corners	600 x 500 x 400	5472475600	2" left	1,192.00	1,321.00	1,717.00
	made of material	700 x 450 x 300	5472475700	2" left	1,102.00	1,181.00	1,595.00
	1.4301. With stamped outlet,	700 x 500 x 250	5472475800	2" left	1,051.00	1,131.00	1,563.00
	without valve or	700 x 500 x 400	5472475900	2" left	1,293.00	1,373.00	1,806.00
	overflow.	800 x 400 x 250	5472476000	2" left	1,044.00	1,123.00	1,552.00
		800 x 400 x 400	5472476100	2" left	1,287.00	1.367.00	1,796.00
		1,000 x 400 x 300	5472476200	2" left	1,212.00	1,291.00	1,791.00
		4h i i - b			•	, , , , , , , , , , , , , , , , , , , ,	,

#### Other sizes available on request.

Please state whether the outlet is on the left or right when ordering.



Model	Designation	Sink dimensions L x W x D	C	order no.	Stamped outlet	Flush welding	Recessed welding in AP 120 up to worktop width 750 *	Recessed welding in AP 150/200 stamped, overflow edge with bevelled edge + 6% **
	ST-EB Weld-in sink	80 x 240 x 100  106 x 300 x 80  A With outlet pipe (d  Price incl. CNS ba				543.00 558.00 et valve cannot be	- closed off)	
		* Sink welded in with sta	amped o	verflow edge				















 $<sup>^{\</sup>star\star}$  Sink welded in with stamped overflow edge, additional cost  $\,6\%$  for bevelled stamped part

### WELD-IN SINKS

### Special designs

Model	Designation	Sink dimensions L x W x D	Order no.	Stamped outlet	Flush welding	Recessed welding in AP 120 up to worktop width 750 *	Recessed welding in AP 150/200 stamped, overflow edge with bevelled edge + 6%**
	ST-EB Round sink	Ø 385 x 150 deep	5970369800	1½"	314.00	414.00	677.00
	without overflow; including standpipe						
	SO-EB-SW Weld-in bath for babies	700 x 400 x 250	5970900420	1 ½"	643.00	747.00	-
	Weld-in bath made of material 1.4301. With stamped outlet, outlet hole positioned centrally at rear, without overflow						

<sup>\*</sup> Sink welded in with stamped overflow edge

### **ACCESSORIES**

#### **Sinks**

Model		Designation		Stamped outlet	Order no.	Price in €
		Standpipe made of	WS 130 mm	1 ½"	5272179600	18.00
		CNS material	WS 130 mm	1 ½"	5272179700	21.00
		1.4301	WS 200 mm	1 ½"	5272179800	21.00
		with strainer Material 1.4021	WS 250 mm	1 ½"	5272179900	23.00
		(WS = water column)	WS 170 mm	2"	5272180000	25.00
		,	WS 200 mm	2"	5272180100	29.00
		Other sizes available	WS 250 mm	2"	5272180200	29.00
		on request.	WS 300 mm	2"	5272180300	32.00
			WS 350 mm	2"	5272180400	34.00
			Measurement markings on standpipe		5272180500	31.00
		Odour trap made of plastic		1 1/2"	5272180700	7.00
		Valve bridge made of	Valve bridge	1 ½"	5672173300	11.00
		plastic	Valve bridge	2"	5470167300	21.00
			Reduction piece	2" / 1 ½"	5272180900	4.00
	Lids for	sinks				
		nk 400 x 400 mm with finge nk 600 x 400 mm with finge			5272462200 5272463700	81.00 92.00
		nk 400 x 400 mm with bow nk 600 x 400 mm with bow			5272462300 5272463800	120.00 129.00
	Addition	nal cost for countertop sir	nk design including fastening cla	mps		214.00
					Dimensio	ns in mm, prices in €

 $<sup>^{\</sup>star\star}$  Sink welded in with stamped overflow edge, additional cost  $\,$  6% for edged stamped part



### **HOSPITAL DRAINS**

#### with and without flushing rim

#### **Hospital drains without** flushing rim

Equipment includes a strainer and hinged grate. The front edge has a drip edge. The hospital drains including splashbacks feature full lining underneath with particle board and have an additional water-repellent coating. Dimensions:

Length 500-600 mm (for R20 at least 600 mm) Width 520-700 mm Height up to 400 mm

#### Hospital drains with flushing rim

Hospital drains with integrated flushing rim. The water supply can be connected via a 3/4" bushing.

Equipment includes a strainer and hinged grate.

The front edge has a drip edge. The hospital drains including splashbacks feature full lining underneath with particle board and have an additional water-repellent coating.

Model		Standard	R20	Model		Standard	R20
	HAG 70-OR-O-LAB	779.00	-		HAG 70-MR-O-LAB	851.00	-
	HAG 100-OR-O-LAB	785.00	-		HAG 100-MR-O-LAB	857.00	-
	HAG 70-OR-H-LAB	816.00	-		HAG 70-MR-H-LAB	955.00	-
	HAG 100-OR-H-LAB	822.00	-		HAG 100-MR-H-LAB	961.00	-
	HAG-R20 70-OR-H-LAB	-	914.00		HAG-R20 70-MR-H-LAB	-	1,055.00
	HAG-R20 100-OR-H-LAB	-	920.00		HAG-R20 100-MR-H-LAB	-	1,060.00
	HAG 70-OR-LH-LAB	857.00	-		HAG 70-MR-LH-LAB	1,025.00	-
	HAG 100-OR-LH-LAB	863.00	-		HAG 100-MR-LH-LAB	1,031.00	-
	HAG-R20 70-OR-LH-LAB	-	1,056.00	4	HAG-R20 70-MR-LH-LAB	-	1,223.00
	HAG-R20 100-OR-LH-LAB	-	1,061.00		HAG-R20 100-MR-LH-LAB	-	1,229.00
$\wedge$	HAG 70-OR-RH-LAB	857.00	-	$\wedge$	HAG 70-MR-RH-LAB	1,025.00	-
	HAG 100-OR-RH-LAB	863.00	-		HAG 100-MR-RH-LAB	1,031.00	-
	HAG-R20 70-OR-RH-LAB	-	1,056.00		HAG-R20 70-MR-RH-LAB	-	1,223.00
	HAG-R20 100-OR-RH-LAB	-	1,061.00		HAG-R20 100-MR-RH-LAB	-	1,229.00
	HAG 70-OR-LHR-LAB	944.00	-		HAG 70-MR-LHR-LAB	1,093.00	-
	HAG 100-OR-LHR-LAB	949.00	-		HAG 100-MR-LHR-LAB	1,100.00	-
	HAG-R20 70-OR-LHR-LAB	-	1,259.00	-	HAG-R20 70-MR-LHR-LAB	-	1,409.00
	HAG-R20 100-OR-LHR-LAB	-	1,265.00		HAG-R20 100-MR-LHR-LAB	-	1,414.00













## **HOSPITAL DRAINS**

#### **ACCESSORIES FOR HOSPITAL DRAINS**

Model	Designation	Order no.	Price
	Additional cost for side splashback – welded on the outside up to 100 mm from the front	5272487500	14.00
	Additional cost for splashback – outside coated with stainless steel (glued) $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	5272136300	57.00
A	Additional cost for splashback – outside coated with stainless steel (welded)	5272136400	92.00
	Additional cost for splashback –repositioned 25 mm back	5272136500	28.00
Picture: Hygiene version R20	Additional cost for edged bead with edging, per side	5272487600	102.00
	Additional cost – weld joint executed at the factory between hospital drain and worktop	5272136600	268.00
	Additional cost for hygiene corner on the worktop when using the hygiene version of the hospital drain		
	Additional cost for worktop smooth or with KA-LAB	5272136700	41.00
25 mm 🖹	Additional cost for worktop with KA-R20-LAB	5272436700	59.00
	Additional cost – preparation of site weld joint between hospital drain and worktop	5272193300	86.00
D	Bucket grate – made completely of stainless steel	5272136800	28.00
	Strainer DN 70 made of stainless steel	5272136900	17.00
	Strainer DN 100 made of stainless steel	5272137000	17.00
	Siphon DN 70 made of plastic	5272137100	207.00
	Siphon DN 100 made of black plastic	5272137200	180.00
	Reduction nipple 3/4" - 1/2" made of stainless steel	5272137300	16.00
	Double nipple 3/4" made of stainless steel	5272137400	16.00
	Pressure hose ½", 500 mm long	5272137500	23.00
Picture: Hygiene corner for worktop smooth	Pressure hose ½", 1,000 mm long	5272137600	32.00
	Pressure hose ¾", 500 mm long	5272137700	26.00
	Pump system – with water receiver container for 6 litres, without disinfection, from a length of 600 mm	5272137800	1,727.00



### WASH TROUGHS / HYGIENE BASINS

Wash troughs and hygiene sinks are made of stainless steel 1.4301.

Wash troughs are fitted as standard with a 1½" stamped drain outlet and are supplied including the valve. Fittings and central piping - see accessories

Model	Designation		Length	Order no.	Price
	WRE-LAB	WRE-2W	950	5270400100	805.00
	Wash trough	WRE-3W	1,460	5270400200	963.00
		WRE-4W	1,970	5270400300	1,125.00
	made of CNS sheet metal,	WRE-5W	2,480	5270400400	1,284.00
	1.5 mm partially executed with corners	WRE-6W	2,990	5270400500	1,397.00
	Width: 445 mm Height: 600 mm Trough depth: 155 mm				
	RR-LAB Wash trough	WRR-2W WRR-3W	950 1,460	5270400600 5270400700	1,018.00 1,284.00
		WRR-4W	1,970	5270400800	1,397.00
	made of CNS sheet metal,	WRR-5W	2,480	5270400900	1,563.00
	1.5 mm, completely rounded-off version	WRR-6W	2,990	5270401000	1,701.00
	Width: 445 mm Height: 600 mm Trough depth: 155 mm				
Additional cost for c	entral piping	for-2W for-3W		5272489300 5272489400	1,666.00 2,304.00
with sensor-controlled	drain made of	101 011		5272489500	2,942.00
stainless steel		for-4W		5272489500	*
		for-5W		5272489700	3,580.00 4,219.00
		for-6W		3212409100	4,219.00



#### Hygiene sink HGB-LAB

5272141900

441.00

Design: wall-mounted

LxWxH, 425 x 460 x 600 mm

LxWxH, 370 x 340 x 150 mm

Please state the fittings and/or hole pattern when ordering.

















### WASH TROUGHS / HYGIENE SINKS

#### **Accessories**

Model	Designation	Order no.	Price
	Sensor-controlled drain made of stainless steel (230 V mains operation)	5270401100	631.00
	Universal arm lever dispenser made of stainless steel (Soap or disinfectant dispenser)	5701874000	206.00
	Soap dispenser made of plastic (Soap or disinfectant dispenser)	5972489900	77.00



Dimensions in mm, prices in  $\ensuremath{\varepsilon}$ 



### LABORATORY WORK TABLES

#### with worktops AP 120-LAB

#### Designation Dimensions/Prices Width 600 700 750 800 900 ATVU-LAB Laboratory work table, Length Square tube 500 575.00 613.00 627 00 660.00 715 00 5272487000 600 601.00 631.00 652.00 679.00 730.00 700 629.00 656.00 682.00 708.00 752.00 Foot space: 200 mm 800 649.00 687.00 708.00 740.00 803.00 Comprising: Rack with struts on 900 673.00 708.00 734.00 759.00 818.00 3 sides, 1,000 701.00 765.00 801.00 874.00 741.00 open to the front, with 1,100 717.00 761.00 822.00 897.00 787.00 plastic feet, 1,200 745.00 787.00 819.00 850.00 925.00 height-adjustable 1,300 770.00 818.00 845.00 882.00 963.00 The working height is 1,400 794.00 839.00 865.00 902.00 981.00 calculated from the 1,500 824.00 868.00 905.00 936.00 1,021.00 dimensions 968.00 1,600 839.00 897.00 928.00 1.066.00 750/900 mm (seated or 990.00 1,080.00 869.00 919.00 953.00 1,700 standing workplace) less the height of the folded 886.00 938.00 975.00 1,022.00 1,120.00 1,800 edge of the required 1,900 905.00 965.00 1,041.00 1,151.00 1,000.00 worktop. 2,000 946.00 1,009.00 1,040.00 1,078.00 1,189.00 2,100 1,225.00 1,291.00 1,360.00 1,471.00 1,541.00 2.200 1.236.00 1,314.00 1,386.00 1,511.00 1.594.00 1,257.00 1,626.00 2,300 1,337.00 1,410.00 1.539.00 2,400 1,285.00 1,370.00 1,445.00 1,582.00 1,673.00

With 3 pairs of feet if the length is greater than 2000 mm. Other dimensions available on request.



ATVG-LAB Laboratory work table. square tube with base shelf 5272487100

Foot space: 200 mm Comprising: Rack with welded base shelf, with plastic feet, height-adjustable

The working height is calculated from the dimensions 750/900 mm (seated or standing workplace) less the height of the folded edge of the required worktop.

		'				
	Width	600	700	750	800	900
	Length					
,	500	759.00	802.00	829.00	879.00	953.00
	600	793.00	833.00	863.00	912.00	984.00
	700	829.00	865.00	902.00	948.00	1,015.00
	800	850.00	903.00	936.00	995.00	1,082.00
	900	881.00	928.00	967.00	1,022.00	1,111.00
	1,000	916.00	974.00	1,017.00	1,090.00	1,203.00
	1,100	938.00	1,001.00	1,046.00	1,117.00	1,229.00
	1,200	970.00	1,032.00	1,083.00	1,157.00	1,272.00
	1,300	1,002.00	1,069.00	1,119.00	1,197.00	1,326.00
	1,400	1,031.00	1,101.00	1,149.00	1,231.00	1,357.00
	1,500	1,071.00	1,140.00	1,201.00	1,284.00	1,421.00
	1,600	1,089.00	1,172.00	1,231.00	1,330.00	1,484.00
n	1,700	1,128.00	1,204.00	1,265.00	1,353.00	1,497.00
	1,800	1,150.00	1,234.00	1,302.00	1,399.00	1,559.00
е	1,900	1,172.00	1,265.00	1,330.00	1,438.00	1,613.00
	2,000	1,214.00	1,310.00	1,372.00	1,484.00	1,663.00
	2,100	1,523.00	1,623.00	1,725.00	1,902.00	2,040.00
	2,200	1,536.00	1,651.00	1,758.00	1,962.00	2,121.00
	2,300	1,564.00	1,681.00	1,792.00	2,002.00	2,169.00
	2,400	1,599.00	1,725.00	1,839.00	2,059.00	2,232.00

With 3 pairs of feet if the length is greater than 2000 mm. Other dimensions available on request















### LABORATORY WORK TABLES

**Dimensions/Prices** 

#### with worktops AP 120-LAB

Designation

## ATVC-LAB Laboratory work table Square tube,

Model

Laboratory work table, Square tube, C-shaped table frame 5272487200

Comprising:
Rack consisting of a
stainless steel profile and
base tubes 50 x 30, open
to the front,
with plastic feet, heightadjustable

The working height is calculated from the dimensions 750/900 mm (seated or standing workplace) less the height of the folded edge of the required worktop.

Width	600	700
Length		
500	604.00	640.00
600	627.00	661.00
700	657.00	685.00
800	678.00	719.00
900	706.00	740.00
1,000	731.00	776.00
1,100	751.00	795.00
1,200	779.00	822.00
1,300	805.00	856.00
1,400	832.00	877.00
1,500	861.00	909.00
1,600	880.00	937.00
1,700	909.00	961.00
1,800	927.00	980.00
1,900	948.00	1,010.00
2,000	989.00	1,055.00

With 3 pairs of feet if the length is greater than 2000 mm. Other dimensions available on request.



ATVU-EH-LAB Laboratory work table, Square tube, height-adjustable 5272487300

Laboratory work tables for challenging laboratory and medical applications.
Continuously height-adjustable for working heights from 750 ... 1050 mm.
Operating unit with digital display and memory function. Substructure consisting of stainless steel profiles and an enclosed technology compartment.

Base tubes 40 x 40 with lift cylinder and stainless steel disc-shaped foot with plastic cap.

Visible profiles are fully welded and cleanly polished. Connection cable with mains plug for 230 V / AC / 50 Hz mains supply (EU) included.

Width	600	700	750	800	900
Length					
500	-	-	-	2,876.00	2,942.00
600	-	-	-	2,913.00	2,977.00
700	-	-	-	2,959.00	3,018.00
800	2,882.00	2,939.00	2,967.00	3,008.00	3,088.00
900	2,920.00	2,973.00	3,010.00	3,043.00	3,121.00
1,000	2,961.00	3,021.00	3,055.00	3,102.00	3,197.00
1,100	2,989.00	3,055.00	3,094.00	3,141.00	3,239.00
1,200	3,029.00	3,098.00	3,142.00	3,185.00	3,286.00
1,300	3,067.00	3,143.00	3,183.00	3,234.00	3,344.00
1,400	3,104.00	3,179.00	3,219.00	3,270.00	3,380.00
1,500	3,147.00	3,222.00	3,274.00	3,322.00	3,438.00
1,600	3,175.00	3,265.00	3,314.00	3,371.00	3,502.00
1,700	3,217.00	3,304.00	3,355.00	3,410.00	3,536.00
1,800	3,247.00	3,336.00	3,393.00	3,459.00	3,594.00



### TABLE FRAMES

#### **Square tube**

## Model Designation

TGVU-LAB U-shaped table frame, square tube

5272132100

Dimensions/Prices

Comprising: Rack with struts on 3 sides, open to the front, with plastic feet, height-adjustable The working height is calculated from the dimensions 750/900 mm (seated or standing workplace) less the height of the folded edge of the required worktop.

Width	520	620	670	720	820
Length					
495	269.00	290.00	297.00	322.00	347.00
595	277.00	293.00	305.00	326.00	345.00
695	291.00	302.00	321.00	338.00	353.00
795	302.00	321.00	332.00	354.00	379.00
895	316.00	328.00	346.00	360.00	377.00
995	326.00	342.00	352.00	375.00	395.00
1,095	332.00	348.00	362.00	385.00	406.00
1,195	348.00	362.00	379.00	397.00	417.00
1,295	359.00	377.00	390.00	412.00	434.00
1,395	371.00	386.00	396.00	416.00	436.00
1,495	386.00	396.00	414.00	428.00	445.00
1,595	394.00	412.00	424.00	446.00	467.00
1,695	405.00	419.00	435.00	454.00	473.00
1,795	412.00	422.00	439.00	464.00	481.00
1,895	422.00	439.00	451.00	471.00	495.00
1,995	427.00	447.00	457.00	475.00	502.00
2,095	692.00	716.00	740.00	762.00	789.00
2,195	698.00	726.00	748.00	773.00	806.00
2,295	709.00	735.00	757.00	782.00	816.00
2,395	720.00	750.00	771.00	801.00	836.00

With 3 pairs of feet if the length is 2000 mm or more. Other dimensions available on request.



TGVG-LAB Table frame, square tube with base shelf 5272132200

Table frames for

	Width	520	620	670	720	820
	Length					
e	495	452.00	479.00	499.00	542.00	584.00
	595	469.00	495.00	517.00	559.00	599.00
	695	491.00	512.00	541.00	577.00	616.00
	795	504.00	537.00	560.00	609.00	659.00
and	895	523.00	549.00	578.00	624.00	670.00
- of	995	542.00	575.00	605.00	665.00	724.00
ig of	1,095	553.00	588.00	620.00	679.00	738.00
,	1,195	573.00	608.00	644.00	704.00	764.00
:	1,295	592.00	628.00	664.00	728.00	796.00
well	1,395	609.00	647.00	679.00	746.00	810.00
mm	1,495	632.00	668.00	711.00	776.00	845.00
t	1,595	644.00	687.00	727.00	807.00	886.00
	1,695	664.00	705.00	746.00	817.00	890.00
У	1,795	676.00	718.00	765.00	842.00	919.00
	1,895	689.00	737.00	781.00	868.00	956.00
	1,995	695.00	748.00	789.00	882.00	974.00
	2,095	990.00	1,048.00	1,105.00	1,192.00	1,288.00
nm	2,195	999.00	1,064.00	1,121.00	1,225.00	1,332.00
	2,295	1,015.00	1,079.00	1,139.00	1,244.00	1,358.00
	2,395	1,034.00	1,105.00	1,165.00	1,278.00	1,395.00
	2,000	1,004.00	1,100.00	1,100.00	1,270.00	1,000.

With 3 pairs of feet if the length is 2000 mm or more. Other dimensions available on request.















## **TABLE FRAMES**

### Square tube

Model	Designation	Dimensions/Prices		
	TGVC-LAB	Width	520	620
)	C-shaped table frame,	Length		
	Square tube	495	297.00	317.00
MT.	5272132300	595	304.00	322.00
,	Table frames for challenging	695	318.00	333.00
	laboratory and medical	795	333.00	352.00
	applications. Substructure consisting of stainless steel profiles and base tubes 50 x 30 mm with plastic adjustment feet. Visible profiles are fully	895	348.00	360.00
		995	356.00	377.00
		1,095	366.00	383.00
		1,195	383.00	397.00
		1,295	395.00	415.00
	welded and cleanly polished.	1,395	409.00	423.00
	The working height is calculated from the dimensions 750/900 mm (seated or standing	1,495	423.00	437.00
		1,595	435.00	453.00
		1,695	445.00	461.00
	workplace) less the height of the folded edge of the	1,795	453.00	464.00
	required worktop	1,895	464.00	483.00
		1,995	470.00	493.00

With 3 pairs of feet if the length is 2000 mm or more. Other dimensions available on request.



### TABLE FRAMES

#### Special design for table frames

Model	Designation	Order no.		Price
TG-ZUB-LAB	Frame facing, single-wall (Minimum price €42.00)	5272132600	per m²	225,00
	Additional cost for zinc die-cast feet	5272132700	4 piece	33,00
	Additional cost for stainless steel feet with zinc die-cast housing	5272132800	4 piece	42,00
	Additional cost for ED disc-shaped feet (incl. foot insert)	5972463900	4 piece	124,00

### TABLETOP SHELVES

Material stainless steel 1.4301, cover made of 1.5 mm material, positioner with threaded part for assembly on the table. (Incl. installation materials)



TAB-1-LAB Tabletop shelf 5272141300

1 shelf Width: 300 mm Height: 350 mm



TAB-2-LAB Tabletop shelf 5272141400

2 shelves Width: 300 mm Height: 700 mm

Length	I AB-1-LAB	TAB-2-LAB
500	429.00	756.00
600	431.00	767.00
700	444.00	776.00
800	450.00	797.00
900	460.00	818.00
1,000	470.00	836.00
1,100	480.00	858.00
1,200	491.00	879.00
1,300	502.00	900.00
1,400	509.00	919.00
1,500	521.00	939.00
1,600	539.00	970.00
1,700	553.00	1,001.00
1,800	570.00	1,031.00
1,900	585.00	1,063.00
2,000	604.00	1,103.00
2,100	776.00	1,349.00
2,200	797.00	1,389.00
2,300	818.00	1,429.00
2,400	836.00	1,472.00













## **WORK TABLE**

#### **Example model ATVU-EH-LAB**



#### Work table type ATVU-EH-LAB

- Worktop type AP 120-LAB thickness 40 mm and table frame described below
- Top overhangs by 35 mm at the front, 45 mm at the rear, 2.5 mm at the sides
- Bottom table frame with reinforcing struts on 3 sides, open at the front (clearance for access) 300 mm height adjustment (electro-hydraulic system, continuous adjustment) from 750 mm to 1050 mm
- With digital display and memory function for up to four saved heights
- Technology compartment underneath the worktop, reversible, closed from underneath
- Mains connection with mains plug for 230 V / AC / 50 Hz supply (plug type "F") Installation on stainless steel disc-shaped feet with plastic caps



#### **Underbench cabinets**

Technical data:

860 mm Height with plinth: Carcass height: 760 mm 100 mm Plinth height:

The technical description can be found on page 46.

Other dimensions and seated working height of 710 mm available on request.

Door hinge left (TAL) or door hinge right (TAR)

Model			LAB		H1-LAB		H2-LAB		H3-LAB
	Length	Order no.	Width:565	Order no.	Width: 565	Order no.	Width: 565	Order no.	Width: 565
	400	5272540000	744.00	5272540700	1,396.00	5272541400	1,396.00	5272542100	1,556.00
	450	5272540100	752.00	5272540800	1,405.00	5272541500	1,405.00	5272542200	1,565.00
	500	5272540200	766.00	5272540900	1,421.00	5272541600	1,421.00	5272542300	1,581.00
	600	5272540300	794.00	5272541000	1,454.00	5272541700	1,454.00	5272542400	1,614.00
	900	5272540400	879.00	5272541100	1,553.00	5272541800	1,553.00	5272542500	1,713.00
	1,000	5272540500	913.00	5272541200	1,606.00	5272541900	1,606.00	5272542600	1,766.00
USO	1,200	5272540600	956.00	5272541300	1,642.00	5272542000	1,642.00	5272542700	1,802.00

Open With 1 intermediate shell

Open design

Model	_		LAB		H1-LAB		H2-LAB		H3-LAB
	Length	Order no.	Width:585	Order no.	Width: 585	Order no.	Width: 585	Order no.	Width: 585
	TAL 400	5272542800	888.00	5272543900	1,560.00	5272545000	1,560.00	5272546100	1,720.00
22	TAR 400	5272542900	888.00	5272544000	1,560.00	5272545100	1,560.00	5272546200	1,720.00
	TAL 450	5272543000	910.00	5272544100	1,579.00	5272545200	1,579.00	5272546300	1,739.00
	TAR 450	5272543100	910.00	5272544200	1,579.00	5272545300	1,579.00	5272546400	1,739.00
	TAL 500	5272543200	926.00	5272544300	1,604.00	5272545400	1,604.00	5272546500	1,764.00
	TAR 500	5272543300	926.00	5272544400	1,604.00	5272545500	1,604.00	5272546600	1,764.00
	TAL 600	5272543400	971.00	5272544500	1,656.00	5272545600	1,656.00	5272546700	1,816.00
USF	TAR 600	5272543500	971.00	5272544600	1,656.00	5272545700	1,656.00	5272546800	1,816.00
	900*	5272543600	1,232.00	5272544700	1,942.00	5272545800	1,942.00	5272546900	2,102.00
2 hinged doors with 1 inter-	1,000*	5272543700	1,294.00	5272544800	1,993.00	5272545900	1,993.00	5272547000	2,153.00
mediate shelf	1,200*	5272543800	1,364.00	5272544900	2,088.00	5272546000	2,088.00	5272547100	2,248.00

1 hinged door, hinge on left or right

Design with hinged door.

with 1 intermediate shelf Please specify the door hinge when ordering. \* Version with 2 doors from lengths above 600 mm.













#### **Underbench cabinets**

Technical data:

Height with plinth: 860 mm Carcass height: 760 mm Plinth height: 100 mm

The technical description can be found on page 46.
Other dimensions and seated working height of 710 mm available on request.

Door hinge left (TAL) or door hinge right (TAR)

Model				LAB		H1		H2
		Length:	Order no.	Width: 585	Order no.	Width: 585	Order no.	Width: 585
4	USFB	TAL 400	5272547200	1,019.00	5272548300	1,647.00	5272549400	1,647.00
		TAR 400	5272547300	1,019.00	5272548400	1,647.00	5272549500	1,647.00
	2 hinged doors without intermediate	TAL 450	5272547400	1,028.00	5272548500	1,665.00	5272549600	1,665.00
	shelf	TAR 450	5272547500	1,028.00	5272548600	1,665.00	5272549700	1,665.00
		TAL 500	5272547600	1,059.00	5272548700	1,690.00	5272549800	1,690.00
	1 hinged door, hinge	TAR 500	5272547700	1,059.00	5272548800	1,690.00	5272549900	1,690.00
	on left or right	TAL 600	5272547800	1,100.00	5272548900	1,740.00	5272550000	1,740.00
	without intermediate shelf	TAR 600	5272547900	1,100.00	5272549000	1,740.00	5272550100	1,740.00
	011011	900*	5272548000	1,350.00	5272549100	2,007.00	5272550200	2,007.00
		1,000*	5272548100	1,399.00	5272549200	2,060.00	5272550300	2,060.00
		1,200*	5272548200	1,483.00	5272549300	2,148.00	5272550400	2,148.00

Design with hinged door and sink trim cover. Please specify the door hinge when ordering.  $^{\star}$  Version with 2 doors from lengths above 600 mm.

			LAB		H1		H2
	Length:	Order no.	Width: 585	Order no.	Width: 585	Order no.	Width: 585
USFSL	TAL 400	5272550500	1,312.00	5272551600	1,862.00	5272552700	1,862.00
	TAR 400	5272550600	1,312.00	5272551700	1,862.00	5272552800	1,862.00
2 hinged doors with 1 intermediate shelf	TAL 450	5272550700	1,337.00	5272551800	1,887.00	5272552900	1,887.00
	TAR 450	5272550800	1,337.00	5272551900	1,887.00	5272553000	1,887.00
	TAL 500	5272550900	1,372.00	5272552000	1,922.00	5272553100	1,922.00
1 hinged door	TAR 500	5272551000	1,372.00	5272552100	1,922.00	5272553200	1,922.00
Door hinge on left or	TAL 600	5272551100	1,437.00	5272552200	1,987.00	5272553300	1,987.00
right	TAR 600	5272551200	1,437.00	5272552300	1,987.00	5272553400	1,987.00
with 1 intermediate shelf	900*	5272551300	1,618.00	5272552400	2,168.00	5272553500	2,168.00
	1,000*	5272551400	1,762.00	5272552500	2,312.00	5272553600	2,312.00
	1,200*	5272551500	1,880.00	5272552600	2,430.00	5272553700	2,430.00
	2 hinged doors with 1 intermediate shelf 1 hinged door Door hinge on left or right with 1 intermediate	USFSL  2 hinged doors with 1 intermediate shelf  1 hinged door Door hinge on left or right with 1 intermediate shelf  TAL 450 TAR 450 TAL 500 TAR 500 TAR 500 TAR 600 with 1 intermediate shelf  1,000*	USFSL  TAL 400 5272550500 TAR 400 5272550600  2 hinged doors with 1 intermediate shelf TAL 500 5272550800  1 hinged door Door hinge on left or right with 1 intermediate shelf TAR 600 5272551200  with 1 intermediate shelf 1,000* 5272551400	USFSL         Length:         Order no.         Width: 585           USFSL         TAL 400         5272550500         1,312.00           TAR 400         5272550600         1,312.00           2 hinged doors         TAL 450         5272550700         1,337.00           with 1 intermediate shelf         TAR 450         5272550800         1,337.00           TAL 500         5272550900         1,372.00           TAR 500         5272551000         1,372.00           TAR 600         5272551100         1,437.00           with 1 intermediate shelf         900*         5272551300         1,618.00           shelf         1,000*         5272551400         1,762.00	USFSL         Length:         Order no.         Width: 585         Order no.           USFSL         TAL 400         5272550500         1,312.00         5272551600           2 hinged doors         TAL 450         5272550700         1,337.00         5272551800           with 1 intermediate shelf         TAL 500         5272550800         1,337.00         5272551900           1 hinged door         TAL 500         5272550900         1,372.00         5272552000           Door hinge on left or right         TAL 600         5272551100         1,437.00         5272552200           with 1 intermediate shelf         900*         5272551300         1,618.00         5272552400           shelf         1,000*         5272551400         1,762.00         5272552500	USFSL         Length:         Order no.         Width: 585         Order no.         Width: 585           USFSL         TAL 400         5272550500         1,312.00         5272551600         1,862.00           2 hinged doors         TAL 450         5272550700         1,337.00         5272551800         1,887.00           with 1 intermediate shelf         TAL 450         5272550800         1,337.00         5272551900         1,887.00           1 hinged door         TAL 500         5272550900         1,372.00         5272552000         1,922.00           2 hinged door         TAR 500         5272551000         1,372.00         5272552100         1,922.00           2 hinged door         TAL 600         5272551100         1,437.00         5272552200         1,987.00           2 right         TAR 600         5272551200         1,437.00         5272552300         1,987.00           with 1 intermediate shelf         900*         5272551300         1,618.00         5272552400         2,168.00           shelf         1,000*         5272551400         1,762.00         5272552500         2,312.00	USFSL         Length:         Order no.         Width: 585         Order no.         Width: 585         Order no.         Width: 585         Order no.           USFSL         TAL 400         5272550500         1,312.00         5272551600         1,862.00         5272552700           2 hinged doors         TAL 450         5272550700         1,337.00         5272551800         1,887.00         5272552900           with 1 intermediate shelf         TAR 450         5272550800         1,337.00         5272551900         1,887.00         5272553000           1 hinged door         TAL 500         5272551900         1,372.00         5272552100         1,922.00         5272553200           Door hinge on left or right         TAL 600         5272551100         1,437.00         5272552200         1,987.00         5272553300           with 1 intermediate shelf         900*         5272551200         1,437.00         5272552300         1,987.00         5272553400           shelf         1,000*         5272551400         1,618.00         5272552400         2,168.00         5272553600

Design with hinged door and drawer (partial pull-out) Please specify the door hinge when ordering.  $^{\star}$  Version with 2 doors and drawer from lengths above 600 mm.



#### **Underbench cabinets**

Model	Designation			LAB		H1-LAB
		Length:	Order no.	Width: 585	Order no.	Width: 585
	US3SL	400	5272553800	1,661.00	5272554500	2,211.00
	Design with 3 drawers	450	5272553900	1,696.00	5272554600	2,246.00
	(partial pull-out)	500	5272554000	1,736.00	5272554700	2,286.00
		600	5272554100	1,807.00	5272554800	2,357.00
		900	5272554200	2,046.00	5272554900	2,596.00
		1,000	5272554300	2,116.00	5272555000	2,666.00
		1,200	5272554400	2,266.00	5272555100	2,816.00
	US4SL	400	5272555200	1,802.00	5272555900	2,352.00
2 2	Design with 4 design	450	5272555300	1,840.00	5272556000	2,390.00
	Design with 4 drawers (partial pull-out)	500	5272555400	1,881.00	5272556100	2,431.00
	(partial pair cat)	600	5272555500	1,959.00	5272556200	2,509.00
		900	5272555600	2,215.00	5272556300	2,765.00
	_	1,000	5272555700	2,273.00	5272556400	2,823.00
		1,200	5272555800	2,452.00	5272556500	3,002.00
	US5SL	400	5272556600	1,924.00	5272557300	2,474.00
	Design: with 5 drawers	450	5272556700	1,965.00	5272557400	2,515.00
	(partial pull-out)	500	5272556800	2,009.00	5272557500	2,559.00
	_	600	5272556900	2,092.00	5272557600	2,642.00
		900	5272557000	2,365.00	5272557700	2,915.00
	_	1,000	5272557100	2,429.00	5272557800	2,979.00
		1,200	5272557200	2,621.00	5272557900	3,171.00
	USAA		505055000	4.040.00		
	SORT-III	400	5272558000	1,346.00		
	Design: with waste pull-out	450	5272558100	1,379.00		
	and stainless steel waste bin 16 l	500	5272558200	1,411.00		
	Diff 10 1	600	5272558300	1,467.00		















#### Roller storage units

Technical data:

Height incl. rollers: 800 mm Carcass height: 660 mm Carcass width: 590 mm

The technical description can be found on page 47. Other dimensions and seated working height of 650 mm available on request.

Door hinge left (TAL) or door hinge right (TAR)

Model	Designation		Length	Order no.	Price
	RCO-LAB		500	5272438600	1,497.00
	open with 1 intermediate shelf		600	5272438700	1,546.00
	RCF-LAB	TAL	500	5272438800	1,721.00
1	1 door	TAR	500	5272577900	1,721.00
	Lockable	TAL	600	5272438900	1,782.00
	Door hinge left or right with 1 intermediate shelf	TAR Please spe	<b>600</b> cify the door hinge wh	5272578000 nen ordering	1,782.00
	RC3SL-LAB		500	5272439000	2,438.00
	Design: with 3 drawers (4/5 partial pull-out) with pull-out safeguard to ensure only one drawer can be pulled out a time, lockable		600	5272439100	2,519.00
	RC4SL-LAB		500	5272439200	2,629.00



Design: with 4 drawers (4/5 partial pull-out) with pull-out safeguard to ensure only one drawer can be pulled out a time, lockable

500	5272439200	2,629.00
600	5272439300	2,722.00



#### Tall cupboards

The technical description can be found on page 48. Door hinge left (TAL) or door hinge right (TAR)

Model			LAB		H1-LAB		H2-LAB		H3-LAB
HSO open Height with plinth: 2,000 mm	Length	Order no.	Width:565	Order no.	Width: 565	Order no.	Width: 565	Order no.	Width: 565
	400	5272558400	1,528.00	5272559100	2,414.00	5272559800	2,414.00	5272560500	2,734.00
	450	5272558500	1,574.00	5272559200	2,461.00	5272559900	2,461.00	5272560600	2,781.00
	500	5272558600	1,617.00	5272559300	2,507.00	5272560000	2,507.00	5272560700	2,827.00
	600	5272558700	1,707.00	5272559400	2,619.00	5272560100	2,619.00	5272560800	2,939.00
	900	5272558800	1,970.00	5272559500	2,904.00	5272560200	2,904.00	5272560900	3,224.00
	1,000	5272558900	2,050.00	5272559600	2,991.00	5272560300	2,991.00	5272561000	3,311.00
	1,200	5272559000	2,228.00	5272559700	3,184.00	5272560400	3,184.00	5272561100	3,504.00
Plinth height:									

LAB Model H1-LAB H2-LAB H3-LAB Order no. Width: 585 Order no. Width: 585 Width: 585 Order no. Width: 585 Length Order no. **TAL 400** 5272561200 5272562300 5272563400 2,743.00 5272564500 3,063.00 1.867.00 2.743.00 TAR 400 5272562400 2,743.00 5272564600 5272561300 1,867.00 2,743.00 5272563500 3,063.00 **TAL 450** 5272561400 5272562500 2,810.00 5272563600 2,810.00 5272564700 3,130.00 1,919.00 **TAR 450** 5272561500 1,919.00 5272562600 2,810.00 5272563700 2,810.00 5272564800 3,130.00 **TAL 500** 5272561600 1,981.00 5272562700 2,951.00 5272563800 2,951.00 5272564900 3,271.00 TAR 500 3,271.00 5272561700 1,981.00 5272562800 2,951.00 5272563900 2,951.00 5272565000 HSF- ... **TAL 600** 3,412.00 5272561800 2,117.00 5272562900 3,092.00 5272564000 3,092.00 5272565100 2 hinged doors TAR 600 5272561900 2,117.00 5272563000 3,092.00 5272564100 3,092.00 5272565200 3,412.00 900\* 5272562000 2,564.00 5272563100 3,602.00 5272564200 3,602.00 5272565300 3,922.00 1 hinged door, left or right 1,000\* 5272562100 2,718.00 5272563200 3,779.00 5272564300 3,779.00 5272565400 4,099.00 1,200\* 5272562200 2.967.00 5272563300 4,069.00 5272564400 4.069.00 5272565500 4,389.00

Height with plinth: 2,000 mm Plinth height: 100 mm

100 mm

Design with 5 intermediate shelves.

Please specify the door hinge when ordering. \*Version with 2 doors from lengths above 600 mm.

#### Extension cupboards

The technical description can be found on page 48.

Model	Designation			LAB
		Length:	Order no.	Width: 565
	HASO	400	5272565600	876.00
	open	450	5272565700	888.00
	Height: 400 mm	500	5272565800	900.00
		600	5272565900	918.00
		900	5272566000	978.00
		1,000	5272566100	1,003.00
		1,200	5272566200	1,036.00
Model	Designation			LAB
		Length:	Order no.	Width: 585
	HASF	TAL 400	5272566300	1,056.00
	2 hinged doors	TAR 400	5272566400	1,056.00
00	· ·	TAL 450	5272566500	1,072.00
	1 hinged door Door hinge on left or	TAR 450	5272566600	1,072.00
	right	TAL 500	5272566700	1,091.00
	-	TAR 500	5272566800	1,091.00
	Height: 400 mm	TAL 600	5272566900	1,120.00
		TAR 600	5272567000	1,120.00
		900*	5272567100	1,346.00
		1,000*	5272567200	1,382.00
		1,200*	5272567300	1,442.00
		Design with 4 intermediate shalf		













Design with 1 intermediate shelf

Please specify the door hinge when ordering. \*Version with 2 doors from lengths above 600 mm

#### **Wall-mounted cabinets**

The technical description can be found on page 49

Model			LAB		H1-LAB		H2-LAB		H3-LAB
	Length	Order no.	Width: 340						
	400	5272567400	747.00	5272568100	1,297.00	5272568800	1,297.00	5272569500	1,457.00
-	450	5272567500	769.00	5272568200	1,319.00	5272568900	1,319.00	5272569600	1,479.00
	500	5272567600	790.00	5272568300	1,340.00	5272569000	1,340.00	5272569700	1,500.00
	600	5272567700	832.00	5272568400	1,382.00	5272569100	1,382.00	5272569800	1,542.00
WHSO	900	5272567800	912.00	5272568500	1,462.00	5272569200	1,462.00	5272569900	1,622.00
open	1,000	5272567900	952.00	5272568600	1,502.00	5272569300	1,502.00	5272570000	1,662.00
AACH O	1,200	5272568000	1,033.00	5272568700	1,583.00	5272569400	1,583.00	5272570100	1,743.00
With 2 intermediate									

shelves

On request: height of 600 mm with 1 intermediate shelf.

Height: 750 mm

Model			LAB		H1-LAB		H2-LAB		H3-LAB
	Length	Order no.	Width: 360						
	TAL 400	5272570200	958.00	5272571300	1,508.00	5272572400	1,508.00	5272573500	1,668.00
	TAR 400	5272570300	958.00	5272571400	1,508.00	5272572500	1,508.00	5272573600	1,668.00
	TAL 450	5272570400	986.00	5272571500	1,536.00	5272572600	1,536.00	5272573700	1,696.00
	TAR 450	5272570500	986.00	5272571600	1,536.00	5272572700	1,536.00	5272573800	1,696.00
	TAL 500	5272570600	1,014.00	5272571700	1,564.00	5272572800	1,564.00	5272573900	1,724.00
WHSF	TAR 500	5272570700	1,014.00	5272571800	1,564.00	5272572900	1,564.00	5272574000	1,724.00
	TAL 600	5272570800	1,021.00	5272571900	1,571.00	5272573000	1,571.00	5272574100	1,731.00
2 hinged doors	TAR 600	5272570900	1,021.00	5272572000	1,571.00	5272573100	1,571.00	5272574200	1,731.00
With 2 intermediate	900*	5272571000	1,257.00	5272572100	1,807.00	5272573200	1,807.00	5272574300	1,967.00
shelves	1,000*	5272571100	1,311.00	5272572200	1,861.00	5272573300	1,861.00	5272574400	2,021.00
	1,200*	5272571200	1,412.00	5272572300	1,962.00	5272573400	1,962.00	5272574500	2,122.00
1 hinged door									

Door hinge on left or Right

Please specify the door hinge when ordering. \*Version with 2 doors from lengths above 600 mm. On request: height of 600 mm with 1 intermediate shelf

With 2 intermediate shelves

Height: 750 mm

#### Intermediate shelves for cabinets

Model			USB-LAB		HS/HAS-LAB		WHS-LAB
	Length	Order no.	Width: 525	Order no.	Width: 470	Order no.	Width: 300
	360	5272575500	59.00	5272576300	59.00	5272577100	53.00
	410	5272575600	66.00	5272576400	66.00	5272577200	58.00
	460	5272575700	72.00	5272576500	72.00	5272577300	65.00
	560	5272575800	79.00	5272576600	79.00	5272577400	70.00
	760	5272575900	92.00	5272576700	92.00	5272577500	81.00
	860	5272576000	105.00	5272576800	105.00	5272577600	93.00
	960	5272576100	118.00	5272576900	118.00	5272577700	107.00
	1,160	5272576200	145.00	5272577000	145.00	5272577800	131.00

Double-walled shelves available on request.

### Cabinets with glass inserts (laminated safety glass) available on request.



#### **Special cabinets**

The technical description for our different product variants can be found on page 49.

Model	Designation	Length	Order no.	Width: 380
	WBA-LAB	450	5272574600	829.00
4	Wall shelves for bedpans and urine bottles       600       5272574700         - Dimensions L x W 380 x H 600 mm       900       5272574800         - Single-walled rear wall,       1,000       5272574900	947.00		
4	Dimensional w W 200 v II 600 mm	900	5272574800	1,107.00
4	Ph. St.		1,151.00	
	double-walled base shelf with aluminium composite panel lining underneath	1,200	5272575000	1,294.00
	<ul> <li>Brackets are permanently welded-in and made of shaped round material with a dia. of 10 mm for bedpans and 5 mm for urine bottles</li> </ul>			
	<ul> <li>Base shelf can be taken off and features a profile</li> </ul>			



#### **USF-HAG-LAB** Undercabinet for hospital drain

edge all around (7 mm high)

1 hinged door

Door hinge left or right

Made of stainless steel, minimum height 680 mm

Length	Order no.	Width: 585
TAL 500	5272575100	1,114.00
TAR 500	5272575200	1,114.00
TAL 600	5272575300	1,220.00
TAR 600	5272575400	1,220.00

Please specify the door hinge when ordering. A cabinet length of 600 mm is required for pump systems.



#### SD-S-LAB Sloping roof for cabinets

- Dimensions L x W 565 x H 200 mm
- Consisting of bevelled sheet metal, thickness 1 mm
- Visible surfaces on the outside with a KEK finish
- Flush-mounted with the carcass
- Rear wall open

(can be retrofitted)



Up to a length of 1,200 mm Other dimensions available on request.

















## FURNITURE ACCESSORIES

Model	Designation	Length	Price
	Cylinder lock		
	Cylinder lock - For drawers and hinged doors		
	- 1 lock per hinged door		
<b>₩</b>	- Lock system available on request		
	Cylinder lock – with single key for multiple locks, variant	5972426400	77.00
	Cylinder lock – with single key for multiple locks, variant 2	5972426300	77.00
	Cylinder lock – with different key for each lock	5972426500	77.00
	,		
	Espagnolette lock	5272462900	141.00
	- For tall cupboards	0	
	Please state when ordering whether you want different keys for		
	different locks, or whether the same key should open multiple locks.		
	Ventilation slots		64.00
	in door or plinth		
/			
	Fitting part for trim panel		470.00
	for tall cupboards	up to 400 mm	172.00
	with plinth recess		
-1			
1			
	Fitting part for trim panel		20.00
	for undercabinets	up to 400 mm	89.00
	with plinth recess		
	Plate and for a few and the second		
	Fitting part for trim panel for wall-mounted cabinets	un to 400 mans	86.00
	three-sided	up to 400 mm	00.00
	tilloo-sidod		
	Additional charge for access flap	5472459200	188.00
	with CNS waste bin (16 litres)	0.1.2.00200	
	,		
	Stainless steel rear wall between worktop and wall-mounted		
	cupboard		
	- Dimensions depend on brushing direction and sheet metal size		268.00 per m <sup>2</sup>
	- Rear wall 20 mm (minimum cost €51.00)		
	- With melamine resin-coated particle board P2 lining underneath		
	Exhaust air connection		105.00
	or dia. 150 200 mm		
	Furniture carcass silicone-treated from the inside		
	- For wall-mounted cabinets and undercabinets		121.00
	- For tall cupboards		160.00
	Additional cost for full null out drawers up to E0 kg (nor drawer)		31.00
	Additional cost for full pull-out drawers up to 50 kg (per drawer)		31.00
	Additional cost for heavy-duty full pull-out drawers up to 120 kg (per dr	awer)	222.00
	Additional cost for closure damping (per hinged door)		69.00
	Additional cost for soft closing (per drawer)		69.00
	Control looking and null out cofequered to anough and drawer can be	o nulled out a time	220.00
	Central locking and pull-out safeguard to ensure only one drawer can be for undercabinets (drawer block)	e pulled out a time	339.00
	וטו מוומטוסמאוווטנט (מומשפו אוטטה)		
	Set of swivel castors with stainless steel casing - consisting of 2 unbra	aked and	
	2 lockable swivel castors		
		Panel fastening	158.00
	<b>5972426700</b> dia. 125 mm	n Expander fastening	226.00
		Dime	nsions in mm prices in $\in$

















#### **Technical description**

The stainless steel shelf units are supplied as open shelf systems comprising starter shelf units (1), expansion shelf units (2) and corner expansion shelf units (3).

The shelf ladders are made of stainless steel square tube (1.4301) with dimensions of

30 x 30 mm and have a standard height of 1,800 mm. The cross beams are made of stainless steel square tube (1.4301) with dimensions of 50 x 20 x 1.5 mm. All weld seams are executed circumferentially and are free of welding discolouration.

The shelf ladders are equipped with height-adjustable feet so that differences in floor height can be compensated for. The shelves with a smooth or perforated finish are made of stainless steel sheet metal (stainless steel surface with mill finish), 1 mm thick, and are hooked into welded-in studs with a diameter of 8 mm and are height-adjustable by 140 mm.


On the long sides, the edges are rounded off to 40 mm and folded over inwards.

The starter shelf unit (1) consists of two shelf ladders and four shelves. For increased stability the shelving frames have diagonal struts on the rear. The expansion shelf unit (2) and the corner expansion shelf unit (3) consist of a shelf ladder and four shelves or corner shelves.

Please state the exact number of shelves and their design (smooth or perforated) when ordering. Special dimensions can be fabricated at short notice on request for our customers, e.g. in order to fit shelving accurately into existing niches. Prices are available on request.

#### Number of diagonal struts

Up to 3 vertical shelf units – 1 set of diagonal struts 4 to 6 vertical shelf units – 2 sets of diagonal struts






The maximum loads for each compartment (with evenly distributed loads) are as follows:

- Shelf length 500 1,000 mm 150 kg
- Shelf length 1,100 to 1,500 mm 100 kg
- The maximum floor load per vertical shelf unit is 600 kg


#### Please note:

The regulations set out in "Guidelines for Storage Systems / Equipment BGR 234" must always be complied with for the planning and installation of shelf units or shelf systems. In accordance with the Ordinance on Industrial Safety and Health (BetrSichV), shelf units are subject to regular mandatory inspection requirements in accordance with EN 15635.



#### Model – open shelf system

- (1) Starter shelf unit
- (2) Expansion shelf unit
- (3) Corner expansion shelf unit





### with smooth shelves (standard height 1,800 mm)

Model/ Designation	Width		400		500		600
	Length	Order no.	Price	Order no.	Price	Order no.	Price
Starter shelf unit	500	5272142200	508.00	5272143300	537.00	5272144400	571.00
Design with 4 smooth shelves	600	5272142300	512.00	5272143400	544.00	5272144500	587.00
AR-GLB-400-LAB (400 mm wide )	700	5272142400	527.00	5272143500	560.00	5272144600	599.00
,	800	5272142500	544.00	5272143600	571.00	5272144700	611.00
AR-GLB-500-LAB (500 mm wide)	900	5272142600	560.00	5272143700	589.00	5272144800	623.00
AR-GLB-600-LAB (600 mm wide)	1,000	5272142700	571.00	5272143800	604.00	5272144900	635.00
	1,100	5272142800	587.00	5272143900	626.00	5272145000	659.00
	1,200	5272142900	599.00	5272144000	645.00	5272145100	684.00
	1,300	5272143000	611.00	5272144100	666.00	5272145200	711.00
	1,400	5272143100	623.00	5272144200	684.00	5272145300	735.00
	1,500	5272143200	635.00	5272144300	701.00	5272145400	760.00
Evennion shalf unit							
Expansion shelf unit	470	5272145500	350.00	5272146600	373.00	5272147700	375.00
Design with 4 smooth shelves	570	5272145600	366.00	5272146700	385.00	5272147800	426.00
FR-GLB-400-LAB (400 mm wide )	670	5272145700	368.00	5272146800	395.00	5272147900	431.00
FR-GLB-500-LAB (500 mm wide)	770	5272145800	403.00	5272146900	419.00	5272148000	436.00
FR-GLB-600-LAB (600 mm wide)	870 970	5272145900	411.00	5272147000	437.00	5272148100	456.00
TIT-OLD-000-D to (000 mm wide)		5272146000	414.00	5272147100	439.00	5272148200	478.00
	1,070 1,170	5272146100 5272146200	423.00 446.00	5272147200 5272147300	456.00 463.00	5272148300 5272148400	500.00 521.00
	1,170	5272146300	464.00	5272147400	493.00	5272148400	543.00
	1,370	5272146400	485.00	5272147500	505.00	5272148600	559.00
	1,470	5272146500	495.00	5272147600	534.00	5272148700	575.00
	1,-110	0272110000	100.00	02/21//000	001.00	02/2/10/00	010.00
Corner expansion shelf unit	470	5272148800	359.00	5272149900	378.00	5272151000	403.00
Design with 4 smooth shelves	570	5272148900	373.00	5272150000	390.00	5272151100	424.00
EFR-GLB-400-LAB (400 mm wide )	670	5272149000	375.00	5272150100	393.00	5272151200	436.00
,	770	5272149100	395.00	5272150200	415.00	5272151300	446.00
EFR-GLB-500-LAB (500 mm wide)	870	5272149200	398.00	5272150300	420.00	5272151400	457.00
EFR-GLB-600-LAB (600 mm wide)	970	5272149300	424.00	5272150400	449.00	5272151500	500.00
	1,070	5272149400	436.00	5272150500	457.00	5272151600	514.00
	1,170	5272149500	453.00	5272150600	485.00	5272151700	526.00
	1,270	5272149600	464.00	5272150700	501.00	5272151800	559.00
	1,370	5272149700	491.00	5272150800	521.00	5272151900	575.00
	1,470	5272149800	506.00	5272150900	582.00	5272152000	656.00
Model/ Designation	Width		340		440		540
Model/ Designation	Length	Order no.	Price	Order no.	Price	Order no.	Price
Smooth shelves for starter shelf	500	5170040000	48.00	5170041100	53.00	5170042200	55.00
units and expansion shelf units	600	5170040000	53.00	5170041100	55.00	5170042200	61.00
GLB-400-LAB (340 mm wide)	700	5170040100	55.00	5170041200	59.00	5170042300	66.00
,	800	5170040200	59.00	5170041300	64.00	5170042400	69.00
GLB-500-LAB (440 mm wide)	900	5170040300	61.00	5170041500	68.00	5170042600	73.00
GLB-600-LAB (540 mm wide)	1,000	5170040500	64.00	5170041600	73.00	5170042700	82.00
	1,100	5170040600	70.00	5170041700	82.00	5170042800	89.00
	1,200	5170040700	79.00	5170041800	89.00	5170042900	98.00
n d	1,300	5170040800	87.00	5170041900	96.00	5170043000	105.00
R	1,400	5170040900	91.00	5170042000	102.00	5170043100	112.00
	1,500	5170041000	98.00	5170042100	110.00	5170043200	119.00













### with perforated shelves (standard height 1,800 mm)

Model/ Designation	Width		400		500		600
	Length	Order no.	Price	Order no.	Price	Order no.	Price
Starter shelf unit	500	5272152100	528.00	5272153200	560.00	5272154300	595.00
Design with 4 perforated shelves	600	5272152200	536.00	5272153300	565.00	5272154400	605.00
AR-GEB-400-LAB (400 mm wide)	700	5272152300	551.00	5272153400	580.00	5272154500	620.00
,	800	5272152400	565.00	5272153500	595.00	5272154600	632.00
AR-GEB-500-LAB (500 mm wide)	900	5272152500	580.00	5272153600	611.00	5272154700	645.00
AR-GEB-600-LAB (600 mm wide)	1,000	5272152600	595.00	5272153700	626.00	5272154800	657.00
	1,100	5272152700	608.00	5272153800	648.00	5272154900	681.00
	1,200	5272152800	635.00	5272153900	673.00	5272155000	719.00
	1,300	5272152900	657.00	5272154000	696.00	5272155100	746.00
	1,400	5272153000	684.00	5272154100	721.00	5272155200	770.00
	1,500	5272153100	711.00	5272154200	740.00	5272155300	796.00
Expansion shelf unit	470	5272155400	369.00	5272156500	390.00	5272157600	395.00
Design with 4 perforated shelves	570	5272155500	381.00	5272156600	406.00	5272157700	431.00
FR-GEB-400-LAB (400 mm wide)	670	5272155600	385.00	5272156700	417.00	5272157800	453.00
· · · · · · · · · · · · · · · · · · ·	770	5272155700	417.00	5272156800	453.00	5272157900	464.00
FR-GEB-500-LAB (500 mm wide)	870	5272155800	420.00	5272156900	457.00	5272158000	485.00
FR-GEB-600-LAB (600 mm wide)	970	5272155900	424.00	5272157000	464.00	5272158100	500.00
	1,070	5272156000	443.00	5272157100	478.00	5272158200	521.00
	1,170	5272156100	469.00	5272157200	491.00	5272158300	543.00
	1,270	5272156200	491.00	5272157300	514.00	5272158400	564.00
	1,370	5272156300	506.00	5272157400	534.00	5272158500	582.00
	1,470	5272156400	517.00	5272157500	575.00	5272158600	601.00
Corner expansion shelf unit	470	5272158700	403.00	5272159800	398.00	5272160900	424.00
Design with 4 perforated shelves	570	5272158800	415.00	5272159900	412.00	5272161000	446.00
•	670	5272158900	426.00	5272160000	420.00	5272161100	456.00
EFR-GEB-400-LAB (400 mm wide)	770	5272159000	442.00	5272160100	437.00	5272161200	466.00
EFR-GEB-500-LAB (500 mm wide)	870	5272159100	454.00	5272160200	469.00	5272161300	479.00
EFR-GEB-600-LAB (600 mm wide)	970	5272159200	471.00	5272160300	485.00	5272161400	521.00
	1,070	5272159300	481.00	5272160400	505.00	5272161500	540.00
	1,170	5272159400	501.00	5272160500	526.00	5272161600	559.00
	1,270	5272159500	529.00	5272160600	552.00	5272161700	588.00
	1,370	5272159600	557.00	5272160700	575.00	5272161800	613.00
	1,470	5272159700	589.00	5272160800	603.00	5272161900	677.00
Model/ Designation	Width		340		440		540
	Length	Order no.	Price	Order no.	Price	Order no.	Price
Shelves – perforated for starter shelf	500	5170045000	55.00	5170046100	59.00	5170047200	61.00
units and expansion shelf units	600	5170045100	59.00	5170046200	61.00	5170047300	68.00
GEB-400-LAB (340 mm wide)	700	5170045200	61.00	5170046300	68.00	5170047400	73.00
GEB-500-LAB (440 mm wide)	800	5170045300	66.00	5170046400	70.00	5170047500	79.00
GEB-600-LAB (540 mm wide)	900	5170045400	68.00	5170046500	77.00	5170047600	84.00
	1,000	5170045500	73.00	5170046600	82.00	5170047700	89.00
	1,100	5170045600	82.00	5170046700	89.00	5170047800	98.00
79	1,200	5170045700	87.00	5170046800	98.00	5170047900	108.00
	1,300	5170045800	94.00	5170046900	105.00	5170048000	115.00
	1,400	5170045900	102.00	5170047000	112.00	5170048100	123.00
	1,500	5170046000	108.00	5170047100	123.00	5170048200	130.00



#### **Accessories**

Model/ Des	signation	Width		400		500		600
1 .		Length	Order no.	Price	Order no.	Price	Order no.	Price
Shelf ladder RL-400-LAB (400 mm wide) RL-500-LAB (500 mm wide) RL-600-LAB (600 mm wide)		1,520	5272162000	137.00	5272162500	148.00	5272163000	153.00
		1,660	5272162100	142.00	5272162600	151.00	5272163100	155.00
	1,800	5272162200	146.00	5272162700	155.00	5272163200	159.00	
	2,080	5272162300	159.00	5272162800	169.00	5272163300	174.00	
	RL-600-LAB	2,500	5272162400	194.00	5272162900	203.00	5272163400	207.00
	(600 mm wide)							

#### Additional parts / additional costs:

Wall mounting bracket	5172129500	Price per unit	13.00
Shelves from a length of 1,100 mm can be manufactured to support a load of 150 kg at additional cost	5172129700	Additional cost per running metre of shelf	30.00
Shelf for corner expansion shelf unit smooth or perforated	5172129600	Additional cost per unit	6.00

Model/ Designation	Diagonal struts for shelf length	Order no.	Price
Diagonal struts	500	5172129800	21.00
Diagonal struts (please state the length of shelf when ordering)	600	5172129900	22.00
longar or onen when erdening)	700	5147887300	23.00
	800	5170294000	24.00
	900	5172130000	26.00
	1,000	5170294100	28.00
	1,100	5172130100	30.00
	1,200	5172130200	31.00
	1,300	5172130300	32.00
	1,400	5172130400	34.00
	1,500	5172130500	35.00













### WASHING AND AUTOPSY TABLES

Simple version without sink





## WASHING AND AUTOPSY TABLES

#### Simple version without sink

Washing and autopsy table in a simple design made entirely of stainless steel, tabletop with lining underneath fully welded with high all-around edged bead on four sides, corners welded and polished, tabletop executed with downward gradient to drain (2"), table frame made of square tube, profiles fully welded.

Model	Designation	Туре	Order no.	Price
Washing and autopsy table Dimensions: 2,150 x 750 x 850 mm (L x W x H)	Fixed with height-adjustable (30 mm) feet	DTOB-001-LAB	5272062000	1,502.00
	Mobile with 4 rollers ( 2 lockable) Diameter 125 mm	DTOB-002-LAB	5272062100	1,817.00
Model	Designation	Туре	Order no.	Price
Washing and autopsy table height-adjustable and tiltable Dimensions: 2,150 x 750 x 823 - 1023 mm (L x W x H)	Fixed	DTOB-011-LAB	5272436300	5,089.00
	Mobile with 4 rollers ( 2 lockable) Diameter 125 mm	DTOB-012-LAB	5272436400	5,401.00
Table with hydraulic height adjustment and mechanical tilting mechanism, maximum load-bearing capacity 250 kg				

## Simple version with sink

Model	Designation	Туре	Order no.	Price
Autopsy table, simple version with sink Dimensions: 2,600 x 900 x 850 mm (L x W x H)	Fixed with height-adjustable (30 mm) feet	DTMB-001-LAB	5272062200	4,925.00
	Mobile with 4 rollers ( 2 lockable) Diameter 125 mm	DTMB-002-LAB	5272062300	5,239.00
Weld-in sink ST-EB 500 x 400 x 250 mm, standpipe valve 2", water column 200 valve made of material 1.4021, sink trim cover with knee-operated fittings, shower hose and handheld sprinkler				















Dimensions in mm, prices in  $\in$ 

## **AUTOPSY TABLE SYSTEM**

### with docking station

Washing and autopsy table in a simple design made entirely of stainless steel, tabletop with lining underneath fully welded with high all-around edged bead on four sides, corners welded and polished, tabletop executed with downward gradient to drain (2"), table frame made of square tube, profiles fully welded, incl docking station (900 x 500 x 850 mm) with fittings and shower hose, autopsy table is started up by means of guide brackets

Model	Designation	Туре	Order no.	Price
Autopsy table system with docking station Dimensions: Complete system 2,700 x 900 x 850 mm (L x W x H)	Autopsy table without sink, with docking station, fittings on the left-hand side	DTOBAL-001-LAB	5272062400	6,000.00
	Autopsy table without sink, with docking station, fittings on the right-hand side	DTOBAL-002-LAB	5272062500	6,000.00
	Docking station, dimensions: 900 x 500 x 850 mm (L x W x H)	AD-001-LAB	5272062600	3,703.00

## AIR SUPPLY HOOD

Model	Designation	Туре	Order no.	Price
Dimensions: 2,400 x 1,085 x 400 mm (L x W x H), made entirely	Air supply hood for ceiling mounting for ventilation connection by the customer	ZH-001-LAB	5272062700	4,218.00
of stainless steel				
incl. lighting 4x 58 W fluorescent lamps 230 V		f.		
without fan motor without fastening				

Dimensions in mm, prices in €



#### 1. General technical description

#### 1.1. Material

Unless specified otherwise, all the furniture and installation equipment described in this catalogue are made of stainless steel 1.4301. The surfaces of the sheet metal parts are finished off with a KEK finish in visible areas.

#### Standard material thicknesses

1.2 - 2.0 mm
0.8 - 1.2 mm
1.0 - 1.5 mm
1.0 mm
1.0 mm
1.0 mm
1.0 - 1.2 mm
1.0 mm
1.0 mm
1.0 mm
1.0 mm

Vertical shelf rails – square tube 30 x 30 x 1.2 mm Square tube for frames 40 x 40 x 1.2 mm 35 x 35 x 1.2 mm 30 x 30 x 1.2 mm

#### 1.2. Drawers

- Trim plate 18 mm, double-walled, sound-absorbing, insulated with honeycomb cardboard
- Drawers with 4/5 partial pull-out made of chrome steel (material 1.4509)
- Trim plates with horizontally arranged stainless steel bow handles (hole spacing 96 mm)
- Trim plates with all-around silicone sealing

#### 1.3. Hinged doors

- Double-walled, 18 mm thick, sound-absorbing, insulated with honeycomb cardboard
- Hinged doors with vertically arranged stainless steel bow handles (hole spacing 96 mm)
- The doors have an opening angle of 270° (on free-standing furniture only) and are held closed by means of a magnetic lock (no CNS).
- Nickel-plated clip hinges
- As additional cost options, the hinged doors are offered as lockable doors or with closure damping on the hinges (107°).
- Hinged doors are executed with all-around silicone sealing (interrupted in the area of the hinges), on units with two hinged doors the left-hand hinged door only has silicone sealing on 3 sides.

#### 1.4. Hygiene versions

- in accordance with DIN 18865-9
- H1 Shelf and side walls welded with rounded corners/edges < 3 mm
- H2 Shelf and side walls welded with rounded corners/edges 20 mm
- H3 Shelf, side walls and cover plate welded with rounded corners/edges 20 mm















#### 2. Worktops

#### Type AP 120/ 150/ 200-LAB (worktop with particle board P3)

- Made of 1.2, 1.5 or 2.0 mm sheet metal
- Worktops have 40 mm edges on all sides, with 15 mm wide drip edge at the front, 15 mm folded-in edge on the sides and rear
- For increased stability with full and frame lining made of rot-proof particle board P3 with sound-absorbing lining underneath, full lining underneath, lining underneath with melamine coating and profiled lining underneath on request
- The undersides and cut edges of the lining underneath are treated with a disinfectant-resistant protective coating.
- Worktops have a shielding plate with a width of approx. 80 mm on the front side.
- On request the undersides can be completely closed with CNS over the entire surface and the joints can be additionally silicone-treated.
- Continuous worktops without weld seams can be supplied up to a max. length of 3,800 mm.

#### 3. Hospital drains

- Made of 1.2 mm sheet metal
- Hospital drains have 40 mm edges on all sides, with 15 mm wide drip edge at the front, 15 mm folded-in edge on the sides and rear
- For increased stability with full lining underneath, made of rot-proof particle board P3, with sound-absorbing lining underneath
- The undersides and cut edges of the lining underneath are treated with a disinfectant-resistant protective coating.
- Hospital drains have a shielding plate with a width of approx. 80 mm on the front side.
- On request the undersides can be completely closed with CNS over the entire surface and the joints can be additionally silicone-treated.
- On versions with 20 mm thick splashbacks these also have P3 lining underneath.
- Incl. strainer and hinged grate
- DN70 and DN100 drain variants are available.
- Hospital drains are available with or without flushing rim; the flushing rim is connected via a<sup>3</sup>/<sub>4</sub>" bushing.
- Further optional accessories are available.



#### 4. Wash troughs / hygiene sinks

#### 4.1. Wash troughs

- Made of 1.5 mm sheet metal
- Dimensions L x W 445 x H 600 mm, depth 155 mm

#### Type WRE

- Wash trough wall-mounted
- Partially executed with corners
- Central stamped drain outlet 11/2" including valve
- Automatic sensor taps are not included in the delivery

#### Type WRR

- Wash trough wall-mounted
- Completely rounded-off version
- Central stamped drain outlet 11/2" including valve
- Automatic sensor taps are not included in the delivery

#### 4.2. Hygiene sinks

#### Type HGB

- Hygiene sink wall-mounted
- Stamped drain outlet 1½" on the right, including valve
- Automatic sensor taps and soap dispenser are not included in the delivery

#### 5. Work tables

- Consisting of worktop type AP 120-LAB, thickness 40 mm, and the table frame described below
- Top overhangs by 35 mm at the front, 45 mm at the rear, 2.5 mm at the sides
- Dimensions L x W x H 900 mm (for seated workplace H 750 mm)
- Frame rack with positioner made of square tube 40 x 40 x 1.2 mm and connecting struts 35 x 35 x 1.2 mm on 4 plastic feet for compensating for floor unevenness (adjustment range +/- 15 mm)
- Work tables with lengths greater than 2,000 mm are executed with an additional, third pair of legs.
- Ground clearance 200 mm
- Movable tables (max. length 2,000 mm) with 4 swivel castors dia. 75 (two of which are lockable) are available at added cost.

#### Type ATVU-LAB

- Bottom table frame with reinforcing struts on 3 sides, open at the front (clearance for access)

#### Type ATVH-LAB

- Bottom table frame with reinforcing struts on 2 sides, open at the front (H-shaped struts)

#### Type ATVG-LAB

Bottom table frame with base shelf permanently welded-in, base shelf with edges folded down 35 mm and folded in 20 mm on all sides and with reinforcement profile













Dimensions in mm, prices in €

#### Type ATVC-LAB

- Table frame with open front and indented positioners (C-shaped struts)
- Frame and foot reinforcement struts made of square tube 40 x 40 x 1.2 mm and positioners made of square tube 30 x 30 x 1.2 mm, connecting struts made of 40 x 20 x 1.2 mm

#### Type ATVU-EH-LAB

- Bottom table frame with reinforcing struts on 3 sides, open at the front (clearance for access)
- 300 mm height adjustment (electro-hydraulic system, continuous adjustment) from 750 mm to 1050 mm
- With digital display and memory function for up to four saved heights
- Technology compartment underneath the worktop, reversible, closed from underneath
- Mains connection with mains plug for 230 V / AC / 50 Hz supply (plug type "F")
- Installation on stainless steel disc-shaped feet with plastic caps

#### 6. Table frames

- Dimensions L x W x H 860 mm
- Frame rack with positioner made of square tube 40 x 40 x 1.2 mm and connecting struts 35 x 35 x 1.2 mm on 4 plastic feet for compensating for floor unevenness (adjustment range +/- 15 mm)
- Work tables with lengths greater than 1,995 mm are executed with an additional, third pair of legs.
- Ground clearance 200 mm
- Movable tables (max. length 1,995 mm) with 4 swivel castors dia. 75 (two of which are lockable) are available at added cost.

#### Type TGVU-LAB

- Bottom table frame with reinforcing struts on 3 sides, open at the front (clearance for access)

#### Type TGVH-LAB

- Bottom table frame with reinforcing struts on 2 sides, open at the front (H-shaped struts)

#### Type TGVG-LAB

- Bottom table frame with base shelf permanently welded-in, base shelf with edges folded down 35 mm and folded in 20 mm on all sides and with reinforcement profile

#### Type TGVC-LAB

- Table frame with open front and indented positioners (C-shaped struts)
- Frame and foot reinforcement struts made of square tube 40 x 40 x 1.2 mm and positioners made of square tube 30 x 30 x 1.2 mm, connecting struts made of 40 x 20 x 1.2 mm

Dimensions in mm, prices in €



#### 7. Tabletop shelf

- Dimensions L x W (... x 300) x H (350 mm or 700 mm if the unit has 2 shelves)
- Tabletop shelf with 30 mm bevelled edge on all sides on 4 stayers made of square tube 30 x 30 x 1.2 mm
- 4 CNS brackets are supplied for installation on a worktop
- The underside can be supplied as a closed version at additional cost.

#### Type TAB-1

- Tabletop shelf unit, 1 shelf

#### Type TAB-2

- Tabletop shelf unit, 2 shelves

#### 8. Cabinets

#### 8.1. Underbench cabinets

- Dimensions L x W 585 x H 860 mm (900 mm incl. worktop)
- Sturdy, self-supporting carcass construction
- Visible surfaces on the outside and inside with a KEK finish
- Consisting of bevelled individual parts (side walls, rear wall, base shelf & crossbeams) that interlock precisely and are fixed to each other with tack welds
- Double-walled side walls with honeycomb cardboard insulation for sound damping, single-walled rear wall, single-walled base shelf reinforced with particle board P3, open areas with disinfectant-resistant protective coating
- All cabinets are set up on plinths (height 100 mm); the integrated stainless steel disk-shaped feet can be used to compensate for floor unevenness.
- Intermediate shelves are single-walled and have a 20 mm bevelled edge on all sides (max. compartment load 30 kg)
- The intermediate shelf is placed on shelf supports and has multiple height adjustment options (spacing: 50 mm).
- The shelf supports are hooked into punched recesses on the inner side walls; unused holes are closed with plastic plugs (PE).

#### Type USO

- Operator side open
- One intermediate shelf

#### Type USF

- Hinged door(s) on the operator side
- One intermediate shelf

#### Type USFB

- Operator side: hinged door(s) and single-walled sink trim cover (height 150 mm)
- On the rear the rear wall has a gap at the bottom (height 100 mm) to leave space for installation.
- Without intermediate shelf

#### Type USFSL

- Operator side: hinged door(s) and one drawer (drawer front panel height 150 mm)
- One intermediate shelf













#### Type US3SL

- Three drawers on the operator side (from the top: 1x drawer with front panel height of 150 mm, 2x drawers with a front panel height of 300 mm underneath)

#### Type US4SL

- Four drawers on the operator side (from the top: 3x drawers with front panel height of 150 mm, 1x drawer with a front panel height of 300 mm underneath)

#### Type US5SL

- Five drawers on the operator side (5x drawers with a front panel height of 150 mm)

#### Type USAA

- Operator side features one drawer as waste pull-out with a stainless steel waste bin 16 I

#### Type USF-HAG

- Hinged door on the operator side, lockable
- On the rear the rear wall has a gap at the bottom (height 100 mm) to leave space for installation.
- Height 680 mm

#### 8.2. Roller storage units

- Dimensions L x W 590 x H 800 mm
- Consisting of an AP 100-LAB worktop with a thickness of 18 mm with CNS underside and the following substructure:
- Sturdy, self-supporting carcass construction
- Visible surfaces on the outside and inside with a KEK finish
- Consisting of bevelled individual parts (side walls, rear wall, base shelf & crossbeams) that interlock
  precisely and are fixed to each other with tack welds
- Side walls and rear wall double-walled with honeycomb cardboard insulation for sound damping, base shelf double-walled, reinforced with particle board P3 and closed on underside with CNS
- Roller storage units are mobile with a profile frame made of square tube 40 x 20 x 1.2 mm K240 featuring rollers with a diameter of 75 mm (foot space: 100 mm).
- Two swivel castors (on the operator side) can be locked
- Intermediate shelves are single-walled and have a 20 mm bevelled edge on all sides (max. compartment load 30 kg)
- The intermediate shelf is placed on shelf supports and has multiple height adjustment options (spacing: 50 mm).
- The shelf supports are hooked into punched recesses on the inner side walls; unused holes are closed with plastic plugs (PE).

#### Type RCO

- Operator side open
- One intermediate shelf

#### Type RCF

- Hinged door on the operator side, lockable
- One intermediate shelf

#### Type RC3SL

- Three drawers on the operator side (from the top: 2x drawers with a front panel height of 150 mm, 1x drawer with a front panel height of 300 mm underneath)
- With pull-out safeguard to ensure only one drawer can be pulled out a time and central locking

#### Type RC4SL

- Four drawers on the operator side (4x drawers with a front panel height of 150 mm)
- With pull-out safeguard to ensure only one drawer can be pulled out a time and central locking



#### 8.3. Tall cupboards

- Dimensions L x W 585 x H 2000 mm
- Consisting of bevelled individual parts (side walls, rear wall, base shelf, top cover & crossbeams) that interlock precisely and are fixed to each other with tack welds
- Visible surfaces on the outside and inside with a KEK finish
- Double-walled side walls with honeycomb cardboard insulation for sound damping, double-walled top cover insulated with particle board, single-walled rear wall, single-walled base shelf reinforced with particle board P3, open areas with disinfectant-resistant protective coating
- All cabinets are set up on plinths (height 100 mm) and height-adjustable via the integrated stainless steel disk-shaped feet with plastic caps.
- Intermediate shelves are single-walled and have a 20 mm bevelled edge on all sides (max. compartment load 30 kg, max. floor load per vertical shelf unit 150 kg).
- The intermediate shelf is placed on shelf supports and has multiple height adjustment options (spacing: 50 mm).
- The shelf supports are hooked into punched recesses on the inner side walls; unused holes are closed with plastic plugs (PE).

#### Type HSO

- Operator side open
- 5 intermediate shelves

#### Type HSF

- Hinged door(s) on the operator side
- 5 intermediate shelves

#### 8.4. Extension cupboards

- Dimensions L x W 585 x H 400 mm
- Consisting of bevelled individual parts (side walls, rear wall, base shelf, top cover & crossbeams) that interlock precisely and are fixed to each other with tack welds
- Visible surfaces on the outside and inside with a KEK finish
- Double-walled side walls and top cover both with honeycomb cardboard insulation for sound damping, single-walled rear wall, single-walled base shelf reinforced with particle board P3, open areas with disinfectant-resistant protective coating
- Intermediate shelves are single-walled and have a 20 mm bevelled edge on all sides (max. compartment load 30 kg)
- The intermediate shelf is placed on shelf supports and has multiple height adjustment options (spacing: 50 mm).
- The shelf supports are hooked into punched recesses on the inner side walls; unused holes are closed with plastic plugs (PE).
- Extension cupboards are positioned with bolts/studs on the tall cupboard.

#### Type HASO

- Operator side open
- 1 intermediate shelf

#### Type HASF

- Hinged door(s) on the operator side
- 1 intermediate shelf













#### 8.5. Wall-mounted cabinets

- Dimensions L x W 360 x H 600 mm and H 750 mm
- Consisting of bevelled individual parts (side walls, rear wall, base shelf, top cover & crossbeams) that interlock precisely and are fixed to each other with tack welds
- Visible surfaces on the outside and inside with a KEK finish
- Side walls, base shelf and top cover double-walled with honeycomb cardboard insulation for sound damping, single-walled rear wall
- Intermediate shelves are single-walled and have a 20 mm bevelled edge on all sides
- The intermediate shelf is placed on shelf supports and has multiple height adjustment options (spacing: 50 mm).
- The shelf supports are hooked into punched recesses on the inner side walls; unused holes are closed with plastic plugs (PE).
- Max. load for the cupboard is 50 kg/running metre subject to proper wall attachment and uniform load distribution.

#### Type WHSO

- Operator side open
- 2 intermediate shelves

#### Type WHSF

- Hinged door(s) on the operator side
- 2 intermediate shelves

#### 8.6. Wall shelves for bedpans and urine bottles

- Dimensions L x W 380 x H 600 mm
- Single-walled rear wall, double-walled base shelf with aluminium composite panel lining underneath
- Brackets are permanently welded-in and made of shaped round material with a dia. of 10 mm for bedpans and 5 mm for urine bottles
- Base shelf can be taken off and features a profile edge all around (7 mm high)

#### 8.7. Sloping roofs

- Dimensions L x W 565 x H 200 mm
- Consisting of bevelled sheet metal, thickness 1 mm
- Visible surfaces on the outside with a KEK finish
- Flush-mounted with the carcass
- Rear wall open



## GENERAL INFORMATION

- All prices are subject to VAT at the legally applicable rate. With publication of this price list, any previously published price lists cease to be valid.
- We reserve the right to make changes as part of technical progress at any time. Errors excepted.
- Our prices are not binding and are subject to confirmation.
- Disposal of the packaging is handled via the Interseroh system. Corresponding contact information can be found at the home page at www.interseroh.de.
- KEK must be notified in writing of all goods returns. Return transport is at the cost and risk of the causer. After receipt of the goods and assessment of their condition, a credit note for the remaining value will be issued, from which a minimum of 15% of the net value of the goods will however be deducted.

Custom-made products cannot be returned or exchanged.

- The carrier delivering the goods must be notified of any transport damage immediately upon receipt of the goods. The customer must refuse acceptance of the damaged goods. If this is not possible in exceptional cases (e.g. hidden transport damage), the goods can remain in their delivered state with packaging at the customer until the situation is clarified. However, we must be notified of the hidden damage within 5 working days. replacement can be offered for transport damage that is not reported in time.
- All weights and dimensions specified are provided as guide values only. Minor colour deviations are possible.
- The transport, assembly and installation instructions enclosed with the products must always be complied with.
- All sales and deliveries are subject to our "General terms and conditions", which can be found on our website at: www.kek-dresden.com.













## CARE INSTRUCTIONS

#### Chrome-nickel steel

The three materials iron, chrome and nickel form the basis of this material. Chrome ensures that the material does not rust, and nickel provides it with the necessary elasticity required for shaping. This combination offers the following advantages:

- Resistance to many acids and alkaline solutions found in the home,
- Insusceptibility to heat, impact, abrasion and other mechanical influences,
- Hygienic, easy to care for and still looks great after many years

A so-called flash rust can occur, which is generally the result of external contamination.

## Furniture particle board MFB EN 312 (P2)

Our cabinets are made of melamine resin-coated furniture particle board.

An accumulation of drops (standing water) can cause the material to swell. To avoid damaging the furniture, wipe it dry afterwards.

The ability of water to creep in or penetrate can also lead to damage. For this reason the connection area of the cover plate to other cabinets and wall surfaces must be sealed with silicone or other suitable sealing compounds.

For cleaning of the furniture, we recommend wiping them with a clean, damp cloth or using mild detergents. The use of cleaning agents containing alcohol or abrasive or sharp cleaning agents will cause the surface to become dull.

## Terms and conditions of pricing and delivery

Unless indicated otherwise in our order confirmation, our prices are "ex works".

Express deliveries and special sizes (from a length of 2,400 mm) are carried out on request. The transfer of risk takes place when the customer takes charge of the goods.

# PORTINOX